

HEALTH CARE WITH HOMOEOPATHY (Product Booklet At a Glance)

LDD Bioscience brings new vistas in homoeopathic manufacturing, with focus on quality and customer satisfaction, for ameliorating the ailing masses as its continuous endeavour

CONTENTS

GLYCERIN SOAP

HEART & BLOOD

SYRUP/TONICS

| SARSA PURE SYRUP | | 28 |
|------------------------|----------------------------|----|
| DROPS | | |
| LD-13 | Essentia Aurea-Gold Drops | 41 |
| LD-14 | Heart Drops | 41 |
| LD-15 | Cardiac Arrhythmia Drops | 41 |
| LD-24 | Calcification Drops | 41 |
| LD-35 | Anasarca Drops | 41 |
| LD-36 | Circulatory Debility Drops | 41 |
| LD-54 | Cardiopulmonary Drops | 41 |
| LD-59 | Stimulant Drops | 41 |
| LD-62 | Impaired Circulation Drops | 41 |
| LD-44 | Blood Purifier Drops | 41 |
| CARDOKARE GOLD DROPS | | 9 |
| CHOLESTRAL DROPS | | 10 |
| GUATTERIA GAUMERI PLUS | | 19 |

SKIN CARE

SYRUP/TONICS

| SARSA PURE SYRUP | | 28 |
|--------------------|----------------------|----|
| DROPS | | |
| LD-84 | Lukoderm Drops | 48 |
| LD-1 | Tumour Drops | 41 |
| LD-3 | Eczema Drops | 41 |
| LD-4 | Psoriasis Drops | 41 |
| LD-43 | Acne Drops | 41 |
| LD-44 | Blood Purifier Drops | 41 |
| LD-45 | Herpes Drops | 41 |
| LD-73 | Dermokure Drops | 42 |
| LD-75 | Fungikure Drops | 43 |
| GLOWMEX DROPS | | 17 |
| WARTKURE DROPS | | 33 |
| TUMOTIN DROPS | | 54 |
| TABLETS | | |
| ALLER KARE TABLET | | 6 |
| OINTMENTS & CREAMS | | |
| GLOWMEX | CREAM | 18 |

| ACID CHRYSO OINTMENT | 36 |
|------------------------|----|
| AESCULAS OINTMENT | 35 |
| ARNICA OINTMENT | 36 |
| CALENDULA OINTMENT | 36 |
| CANTHARIS OINTMENT | 36 |
| ECHINACEA OINTMENT | 36 |
| GRAPHITES OINTMENT | 36 |
| LEDUM PAL OINTMENT | 37 |
| RHUS TOX OINTMENT | 37 |
| SKOOKUM CHUCK OINTMENT | 37 |
| SULPHUR OINTMENT | 37 |
| THUJA OINTMENT | 37 |
| PEDI-CARE CREAM | 48 |
| LDD ALOE-VERA CREAM | 49 |
| SOAP | |
| PURE GLOW FACE-WASH | 49 |
| NEEM & ALOE-VERA SOAP | 48 |
| BERBERIS SOAP | 49 |
| GIOW MORE SOAP | 49 |

48

HAIR CARE

| HAIROIL | |
|---------------------------------|----|
| LDD'S ARNICA HAIR OIL | |
| DROPS | |
| HAIR FORTE (TWIN PACK) | 19 |
| SHAMPOO | |
| LDD'S ARNICA SHAMPOO | 40 |
| CANTHAZOL ANTI-DANDRUFF SHAMPOO | 40 |

MALE HEALTH

| SYRUP/TC | NICS | |
|---------------------|---------------------------|----|
| | | |
| TONE MAX | SYRUP | 31 |
| DROPS | | |
| LD-18 | Glandular Drops for Men | 41 |
| LD-21 | Sexual Neurasthenia Drops | 41 |
| LD-27 | Vitality Drops | 41 |
| TONE MAX 5000 DROPS | | 31 |



TABLETS

| GLANDORAL TABLETS | 18 |
|-----------------------|----|
| LDD'S GINSENG TAB | 25 |
| GINSENG GB PLUS | 52 |
| ALPHA POWER M TABLETS | 53 |

CHILDREN

| SYRUP/TONICS | | |
|--------------|--------------|----|
| BONNIE FAB | | 8 |
| DROPS | | |
| LD-81 | Wetnil Drops | 46 |
| TABLETS | | |
| HITE MAX | | 20 |
| | | |

FEMALE HEALTH

SYRUP/TONICS

| MENSORAL SYRUP | | 24 |
|-------------------|--------------------------------|----|
| MENSOL PLUS | | 23 |
| LUKOMED S | YRUP | 56 |
| DROPS | | |
| LD-47 | Dysmenorrhea, Amenorrhea Drops | 41 |
| LD-48 | Dysmenorrhoea Drops | 41 |
| LD-72 | Utro-Aid Drops | 42 |
| LD-80 | Menodrops | 46 |
| LD-83 | Femotone Drops | 47 |
| LD-19 | Glandular Drops for Women | 41 |
| LD-49 | Gynae Drops | 41 |
| LD-50 | Climacteric Drops | 41 |
| Ovacist Drops | | 55 |
| TABLET | | |
| GLANDORAL TABLETS | | 18 |

ORTHOPAEDIC

| SYRUP/TO | NICS | |
|-------------------------|----------------|----|
| RHEUMA RITE SYRUP | | 26 |
| LDD'S HYMUSA PLUS SYRUP | | 23 |
| DROPS | | |
| LD-2 | Sciatica Drops | 41 |
| LD-5 | Vertigo Drops | 41 |
| LD-9 | Joint Drops | 41 |
| | | |

| LD-10 | Rheuma Drops | | 41 |
|-----------------------------|--------------------|----|----|
| LD-30 | Inflammation Drops | | 41 |
| LD-60 | Arthralgia Drops | | 41 |
| LD-61 | Injury Drops | | 41 |
| LD-64 | Recalcifying Drops | | 41 |
| LD-79 | Goutin Drops | | 45 |
| SPONDIR | ID DROPS | | 29 |
| TABLETS | | | |
| RHEUMATIC FORTE TABLET | | | 27 |
| ORTHON | P TABLETS | | 51 |
| RUMATIN | PßS | | 56 |
| OTHERS | | | |
| RHEUMA RITE GEL | | | 26 |
| RHEUMA RITE PAIN RELIEF OIL | | | 27 |
| RHUS TOX OINTMENT | | | 37 |
| ARNICA OINTMENT | | 36 | |
| | | | |

GENERAL WELL-BEING

| SYRUP/1 | FONICS | |
|-------------------|-----------------------|----|
| BRENMAX | 8 | |
| FEVO GO | SYRUP | 15 |
| ALFALFA | TONE WITH GINSENG | 5 |
| LDD'S AL | FALFA TONIC | 6 |
| ELIXIR RIT | E (RESTORATIVE TONIC) | 13 |
| FERRUM I | FAB TONIC | 14 |
| LDD APPE | ETISER SYRUP | 55 |
| DROPS | | |
| LD-33 | Heamatinic Drops | 41 |
| LD-74 | IT Drops | 43 |
| LD-65 | Measles Drops | 41 |
| LD-42 | Teething Aches Drops | 41 |
| LD-41 | Nausea Drops | 41 |
| MULLEIN | OIL | 24 |
| TABLET | 5 | |
| ANAS BAI | RBARIE TABLETS | 7 |
| FLU KURE | TABLET | 15 |
| CALCI RITE TABLET | | 9 |
| LDD'S GIN | NSENG TAB | 25 |
| GINSENG | GB PLUS | 52 |
| | | |



| LDD'S ALFALFA MALT | 5 |
|--------------------|----|
| LD-DENT TOOTHPASTE | 39 |

HEAD/NERVOUS SYSTEM

SYRUP/TONICS

BRENMAX SYRUP

DROPS

| LD-20 | Neuralgia Drops | 41 |
|------------|---------------------------|----|
| LD-22 | Veins Drops | 41 |
| LD-23 | Brain Drops | 41 |
| LD-25 | Epilepsy Drops | 41 |
| LD-26 | Migrain & Neuralgia Drops | 41 |
| LD-29 | Nerve & Sleep Drops | 41 |
| LD-53 | Neural Drops | 41 |
| LD-69 | Hypochondriacal Drops | 41 |
| LD-78 | Migrim Drops | 45 |
| SLEEP KARE | DROPS | 30 |

RESPIRATORY SYSTEM

SYRUP/TONICS

| 51101/10 | inco | |
|------------|-------------------|----|
| ASTHAKUR | SYRUP | 7 |
| KOUGHFIX : | SYRUP | 21 |
| DROPS | | |
| LD-6 | Asthma Drops | 41 |
| LD-7 | Cough Drops | 41 |
| LD-8 | Sinus Drops | 41 |
| LD-55 | Laryngeal Drops | 41 |
| LD-57 | Pulmonic Drops | 41 |
| LD-58 | Pulmonary Drops | 41 |
| LD-63 | Intercostal Drops | 41 |
| LD-12 | Influenza Drops | 41 |
| LD-56 | Pleurisy Drops | 41 |
| TABLETS | | |
| | | |

KOUGHFIX TABLET

URINARY & KIDNEY SYSTEM

SYRUP/TONICS

8

| RENAL KURE SYRUP | | 30 |
|---------------------|------------------------|----|
| DROPS | | |
| LD-16 | Prostatitis Drops | 41 |
| LD-28 | Kidney & Bladder Drops | 41 |
| LD-67 | Nocturanal Drops | 41 |
| LD-68 | Renal Drops | 41 |
| LD-71 | Reconstituant Drops | 41 |
| LD-77 | Utikure Drops | 44 |
| LD-81 Wetnil Drops | | 46 |
| URIPLEX DROPS | | 32 |
| STONORID DROPS | | 29 |
| CRATIN KARE DROPS | | 10 |
| TABLETS | | |
| STONOKID TABLETS 53 | | |
| PROSTORIT | ETABLETS | 54 |
| | | |

LIFE STYLES

DROPS

22

| | LD-40 | | 41 | |
|-------------------------------------|---------------------|-----------------|----|----|
| | LD-17 | Obesity Drops | | 41 |
| | TRIMMEX D | ROPS | | 14 |
| | TOXRID DRO | OPS | | 32 |
| TULSI GP DROPS (TULSI-GILOY-PAPAYA) | | | 51 | |
| | TABLETS | | | |
| | DIBONIP TA | BLETS | | 11 |
| | PHYTOLAC | CA BERRY TABLET | | 25 |
| | GARCINIA SLIMTAB 52 | | | 52 |
| | TENSO GO T | TABLET | | 28 |

GASTRO INTESTINAL, LIVER, ABDOMEN & OTHER VITAL ORGANS

SYRUP/TONICS

| GASTROMIN SYRUP | 16 |
|-----------------|----|
| DIGERITE SYRUP | 12 |
| DIZESTO SYRUP | 12 |
| LIVKARE TONIC | 22 |



DROPS

| LD-38 Thyrotoxic Drops | | | |
|---------------------------|----------------------------|--|--|
| LD-70 Hyperhydrosis Drops | | | |
| LD-76 Thyrobid Drops | | | |
| LD-39 | Stomach Drops | | |
| LD-51 | Abdominal Drops Right Side | | |
| LD-52 | Abdominal Drops Left Side | | |
| LD-11 | Liver & Gall Bladder Drops | | |
| LD-34 | Intestinal Colic Drops | | |
| LD-37 | Pancreas Drops | | |
| LD-66 | LD-66 Albuminuria Drops | | |
| LD-32 Hemorrhoidal Drops | | | |
| LD-32 PILES DROPS | | | |
| LD-46 Worms Drops | | | |
| LD-1 Tumour Drops | | | |
| GASODROP | | | |
| KALMEGH PLUS DROPS | | | |
| TUMOTIN DROPS | | | |
| TABLETS | | | |
| GASTROMIN-PLUS TABLET | | | |
| WORMITAB | | | |
| OINTMENTS | | | |
| HAMAMELIS OINTMENT | | | |

BOWEL MOVEMENT

54

16

33

37

| DROPS | | |
|------------|-----------------|----|
| LD-31 | Diarrhoea Drops | 41 |
| CONSTIRITE | DROPS | 11 |
| TABLETS | | |
| YELO-LAX T | ABLETS | 34 |

LDD NUTRACEUTICALS

| DROPS | |
|-------------------------------------|----|
| TULSI GP DROPS (TULSI-GILOY-PAPAYA) | 51 |
| TABLETS | |
| VITAMIN D CAL ALFA + | 50 |
| ORTHONIP TABLETS | 51 |
| GARCINIA SLIMTAB | 52 |
| GINSENG GB PLUS | 52 |
| | |

OTHER SPECIALITIES LDD BIOCHEMIC TABLETS 34 LDD BIOCOMBINATION TABLETS 35 LDD HOMOEOPATHIC TABLETS 38 LD DROPS (LD-01 - LD-71) 41 LDD MOTHER TINCHURE 49 LDD DILUTIONS 50 DENGNIL SYRUP 13 HERNAL DROPS 20

LDD ALFALFA MALT

Perfect Family Health Tonic

एलडीडी अल्फाल्फा माल्ट

संपूर्ण परिवार के लिए स्वास्थ्यवर्धक टॉनिक

अल्फाल्फ–टोन

जिनसैंग युक्त

INDICATIONS:

Poor appetite, tiredness, anaemia, nervous exhaustion, over work, sleeplessness, loss of weight, improper nourishment, pregnancy, lactation, convalescence, impaired memory, Retarded growth in children & youth.

यह शारीरिक व मानसिक कमजोरी, नींद न आना, वजन का कम होना, अनुचित पोषण, अधिक थकावट होना एंव शरीर में खून की कमी होना आदि में सहायक है।

COMPOSITION:

Alfalfa 2x, Avena Sativa 2x, Hydrastis Canadensis 2x, Withania Somnifera 2x, Acidum Phosphoricum 2x, Calcarea Phosphorica 1x, Kali Phosphoricum 1x, Ferrum Phosphoricum 1x, Natrum Phosphoricum 1x, China Off 2x, Magnesium Phosphoricum 1x, Malt Extract I.P. q.s., Alcohol Content 1.6% v/v. Colour Caramel.



DOSAGE:

Adults: 1-2 tablespoonful, 2-3 times a day.

Children: 1 teaspoonful, 2-3 times a day or as prescribed by the physician. **PRESENTATION:** 250gm. & 450gm.

ALFALFA-TONE

with Ginseng

INDICATIONS:

ALFALFA-TONE with Ginseng tonic is an excellent tonic for physical, and mental exhaustion, anxiety due to overwork. It is also recommended for anemia, loss of appetite, convalescence, especially after debilitating fevers, surgical operations and loss of weight.

जिनसैंग युक्त अल्फाल्फा टोन शारीरिक व मानसिक थकान, बेचैनी, भूख न लगना, विशेषकर बुखार, गर्भ व ऑपरेशन के पश्चात् स्वास्थ्य लाभ काल के दौरान, वजन घटने की शिकायत, तंत्रिकावसाद, नींद न आना व भूख न लगना आदि शिकायतों में अल्फाल्फा–टोन जिनसैंग युक्त लेने की सलाह दी जाती है।



COMPOSITION:

Alfalfa Ø, Avena Sativa Ø, China Officinalis Ø, Ginseng Ø, Hydrastis Can Ø, Calcarea Phosphorica 6x, Ferrum Aceticum 6x, Kalium Arsenicosum 4x, Kalium Phosphoricum 3x, Syrup base q.s., Alcohol content 10% v/v.

DOSAGE:

One tablespoonful three times a day or as directed by the physician.

PRESENTATION: 180ml. & 450 ml.

LDD ALFALFA TONIC

एलडीडी अल्फाल्फा टॉनिक संपूर्ण परिवार के लिए स्वास्थ्यवर्धक टॉनिक

Very Effective Family General Tonic

INDICATIONS:

A general body building tonic recommended for fatigue, loss of appetite, nervousness as a result of anxiety, worry and overwork. Efficaceous in Anaemia, Especially good for Convalescence.

यह एक सामान्य बॉडी बिल्डिंग टॉनिक है जो थकावट, भूख न लगना, अधिक काम के कारण शारिरिक अधीरता, अनीमिया के रोगियों में और जो रोगी स्वस्थ होने की प्रक्रिया में है, उनके लिए यह टॉनिक अत्यत लाभदायक है।

COMPOSITION:

Alfalfa Ø, Avena Sativa Ø, Hydrastis can Ø, Nux Vomica 2x, China off Ø, Cinnamonum Ø, Kali Ars. 2x, Acidum Phos 2x, Saccharum off, Aqua Base q.s., Alcohol Content 8% v/v.



DOSAGE:

Adults: One tablespoon

Children: One teaspoonful 3 times a day one hour before meals or as prescribed by the physician.

PRESENTATION: Bottle of 115ml. & 450 ml.

ALLER KARE TABLETS

एलर केयर टैब्लेट्स

Remedy for Allergies

एलर्जी से बचने के लिए उपाय

INDICATIONS:

For runny nose, sneezing, watery eyes and bodyache due to Allergies or Sinustis.

नाक बहना, खुज़ली, लाल आँखें, बदलते मौसम के प्रति हाइपरसेंसिटिविटी, एलर्जी या साइनोसिस्ट के कारण शरीर में दर्द आदि समस्याओं में आराम पहुंचाती है।

COMPOSITION:

Each Tablet Contains Equal Proportion of: Ferrum Phos. 3x, Natrum Mur. 6x, Kali. Sulph. 3x, Kali Mur. 3x, Baptisia Tinc. 4x, Bryonia Alba 4x, Causticum 6x, Eupatorium Perf. 3x, Gelsemium Semp. 6x, Sabadilla 6x, Eucalyptus Globulus. 3x, Excipients q.s. to 550 mg.

DOSAGE:

| Acute Cases: | 1 tablet 4 times a day. |
|-------------------------|---|
| Chronic Cases: | 1 tablet twice a day. |
| Mild to Moderate Cases: | 1 tablet thrice a day. |
| Maintenance Dose: | 1 tablet twice a day or as prescribed by the physician. |
| PRESENTATION: 25gm. | |



ASTHAKURE

Remedy Tonic for Respiratory Tract

अस्थाक्योर

दमें के लिए आदर्श दवा

INDICATIONS:

An effective remedy for acute and chronic Asthma, also effective in acute and chronic Bronchial Asthma and Spasmodic cough

विकट एंव पुरानी अस्थमा, श्वसन दमें और ऐंठन पैदा करने वाली खांसी में प्रभावकारी दवा।

COMPOSITION:

Blatta Oriental Ø, Justicia Ad Ø, Senega Ø, Lobella Inflata Ø, Ipecacuanha Ø, Grindelia Robusta Ø, Magnesia Phos 2x, In flavoured syrup base q.s., Alcohol 7% v/v.



DOSAGE:

Adults: Two teaspoonful 3 or 4 times a day preferably before meals.

Children: One teaspoonful 3 or 4 times a day preferably before meals. In very acute case the prescribed doses may be repeated once in 2 hours until desired relief is achieved.

PRESENTATION: 100 ml., 180 ml. & 450 ml.

ANAS BARBARIAE

एनास बरबरी

ACTIVE INGREDIENT:

*Anas barbariae hepatis et cordis extractum 30C

फ्लू व फ्लू के लक्षण जैसे बुखार, ठंड लगना, शारीरिक थकावट आदि से राहत देता है।

INACTIVE:

Lactose, Sucrose *This ingredient is included in HPUS, Homoeopathic Pharmacopeia of United States

INDICATIONS:

Relieves Flu and Flu like symptoms, such as fever, chills, congestion, bodyaches & pain.

DIRECTIONS: Adults & Children above 2 years.

Prophylactic: 1 tablet per day during the flu season or as prescribed by the Physician.

Symptomatic: 6 hours each or as prescribed by the physician.

Children below two years: Half the adult dose or as prescribed by the physician.

PRESENTATION: 20 Tablets



BRENMAX SYRUP

Remedy for Improving Memory and Concentration

ब्रेनमैक्स सिरप्

याददाश्त एंव एकाग्रता में सुधार के लिए उपचार

INDICATIONS:

Helps in Improving Concentration Power, IQ Level and Memory

ब्रेनमैक्स सिरप् बच्चों की याददाश्त को बढ़ाने, मतिभ्रम तथा कमजोर स्मरण शक्ति को नियंत्रित करने के लिए प्रभावी टॉनिक है।

COMPOSITION

Avena Sativa Ø, Alfalfa Ø, Acid Phosphoricum 2x, Anacardium Orientalis 6x, Kali Phosphoricum3x, Passiflora Incarnata Ø, Melilotus Officinalls Ø, Cinchona Officinalis Ø, Withania Somnifera Ø, Sarsaparilla Ø, Damiana 6, Caramel Colour, Syrup q.s., Alcohol 12% v/v.



DOSAGE:

- **Children:** 1/2 teaspoonful with lukewarm water twice daily half an hour before breakfast and dinner.
- Adults: 1 teaspoonful with lukewarm water twice daily half an hour before breakfast and dinner or as prescribed by the physician.

PRESENTATION: 115 ml. & 450 ml.

BONNIE FAB

Tonic for Children

INDICATIONS:

An ideal baby tonic for children, promotes growth, helps in proper assimilation and removes digestive disorders like Colic and Griping Pain.

यह बच्चों के लिए आदर्श टॉनिक है। यह बच्चों में विकास की दर को बढ़ाता है, पाचन क्रिया को सामान्य रखने में मदद करता है तथा पाचन संबधी रोगो जैसे कि उदरशूल कॉलिक और पेचिस – पीड़ा को दूर करता है।

COMPOSITION:

Calc Phos. 6x, Ferrum Phos. 6x, Kali Mur. 6x, Natrum Phos 6x, Silicea 6x, Alfalfa 6x, In Flavoured Syrup base. q.s., Alcohol 3% v/v.

DOSAGE:

One teaspoonful twice a day or as prescribed by the physician. **PRESENTATION:** Bottle of 115 ml. & 450 ml.

बॉनि फैब

बच्चों के लिए आदर्श टॉनिक



CALCI-RITE TABLETS

REMEDY FOR OSTEOPOROSIS

कैल्सी–राइट टैब्लेट्स

हड्डियों में कैल्शियम, घनत्व व खनिज में सुधार के लिए

INDICATIONS:

Osteoporosis, pre and post menopausal period and associated pain in joint, back movement of neck. कैल्सी राइट कैल्शियम के मेटाबोलिज्म में सुधार लाकर शरीर में रोग प्रतिरोधक क्षमता को बढ़ाता है व शारीरिक संरचना को मजबूती प्रदान करता है। यह जोड़ों के दर्द के निवारण में सहायक है।

COMPOSITION:

Each Tablet Contains:

Calcarea Carbonica 3x, Calcarea Fluorica 3x, Calcarea Phosphorica 3x, Silicea 3x, in equal proportions Excipients q.s. to 250 mg.



DOSAGE:

Adults: 2 tablets 3-4 times a day or as prescribed by the physician.

PRESENTATION: 25gm.

CARDOKARE GOLD DROPS

The Homoeopathic Way to Cardiac Protection

कार्डेक्यिर गोल्ड ड्राप्स्

हृदय संबधी विकारों से सुरक्षा के लिए होम्योपैथी उपाय

INDICATIONS:

Coronary Artery Disease, Arteriosclerosis, Myocarditis, Early Congestive Heart Failure, Cardiac Dropsy Dyspnoea, Cardiac Anxiety,

Palpitations

हृदय संबधी विकार जैसेः तनाव, घबराहट, अनिद्रा, गले तथा सीने में जकड़न, अपघात, कमजोरी, ठंडे माथे पर पसीना आना, धड़कन तेज एंव धीमे चलना, व्यग्रता के साथ कपकपी और तेज सांस चलने की स्थिति को नियंत्रित करने के लिए लाभदायक उपाय है।

COMPOSITION:

Cactus Grandiflorus Ø, Crataegus Oxyacantha Ø, Strophanthus Hispidus Ø, Convallaria Majalis Ø, Valeriana Officinalis Ø, Aurum Muriaticum Natronatum 4x, Camphora 2x, Alcohol Content 50% v/v, Excipients q.s.



DOSAGE:

20-30 drops Diluted with water before administration, 3 times daily and for sudden unexpected symptoms-40 drops or as prescribed by physician.

PRESENTATION: 30ml.

CHOLESTRAL DROPS

कोलेस्ट्रॉल ड्रॉप्स्

Maintain Cholesterol Level

कोलेस्ट्रोल को नियंत्रित करने हेतू

INDICATIONS:

High cholesterol levels including LDL and triglycerides, Abnormal functioning of liver leading to higher level of production of cholesterol, fatty liver, narrowing & degeneration of arterial walls, clinging of cholesterol to it, hardening of arterial wall Hypercholesterolemia, Arthosclerosis, Cholesterol associated with nervous symptoms.

एलडीएल और ट्राईग्लिसराइड्स सहित उच्च कोलेस्ट्रोल स्तर, यकृत के असामान्य रूप से कार्य करने से कोलेस्ट्रोल की अधिक मात्रा उत्पन्न हो जाती है, वसायुक्त यकृत, धमनियों की संकीर्णता तथा उसके आकार में परिवर्तन होने पर, धमनियों की दीवारों में चिपके कोलेस्ट्रोल के लिए, हाइपरकोलेस्ट्रोलेमिया, आर्थरोस्कलेरोसिस, धमनियों की



दीवारों के कठोर होने पर आदि की स्थिति में एलडीडी का कोलेस्ट्रॉल ड्रॉप्स् अत्यंत लाभकारी एंव गुणकारी है।

COMPOSITION: Each 30 ml. Contains: Chelidonium 12X, Cholesterinum 12X, Cistus Can. 12X, Allium Sat. 12X, Calc Carb. 12X, Phosphorous 12X, Excipients q.s.

DOSAGE: 20-30 drops in some water 3-4 times a day or as prescribed by the physician. **PRESENTATION:** 30ml.

CRATIN KARE DROPS

क्रॉटिन केयर झप्स

MOST COMMON CAUSES ARE:

High Blood Pressure, Chronic Diabetes (Especially uncontrolled), Drug induced, Kidney infections, Rhabdomyolysis (Abnormal muscle breakdown), Urninary Tract obstruction. Impaired functioning of kidney, Hypothyroidism, Persistent light protein diet specially Muscular Dystrophy Burns.

खून में क्रेटिनिन के स्तर का बढ़ना, साफ संकेत करता है कि गुर्दे की कार्य प्रणाली खराब है। यह समझना जरूरी है कि किस कारणवश गुर्दे हाल ही में या लम्बे समय से सही से कार्य करने में असमर्थ है। क्रेटिनिन बढ़ने के सबसे आम कारण है: उच्च रक्तचाप, पुरानी मधुमेह, अत्याधिक दवाओं का सेवन, गुर्दे में संक्रमण, मांसपेशियों का असमान्य रूप से नष्ट होना, मूत्रमार्ग में बाधा, गुर्दे की बिगड़ी कार्य पद्धति, लगातार हल्की प्रोटीन का सेवन, मांसपेशियों में विकार।



COMPOSITION:

Echinacea 12x, Terebinthinae 6, Uranium Nit. 6, Apis Mel. 12x, Berb. Vulg. 12x, Sarsaparilla 12x, Excipients Q.S.

DOSAGE:

10-20 drops 3-4 times a day or as prescribed by the physician.

PRESENTATION: 30ml.

CONSTIRITE DROPS

कॉनस्टीराइट ड्राप्स

INDICATIONS:

Constipation. Dry and hard stools. Irregular bowel movements. कब्ज एंव पेट संबधी विकारों मे लाभदायक

COMPOSITION:

Each Tablet Contains:

Acidum Tannicum Hpi Ø, Cascara Sagrada Hpi Ø, Senna, Alcohol Content 52% V/V Excipients Q.S.

DOSAGE:

Adults: 20 Drops

Children: 10 Drops in 1/4th cup of water 3 times daily. Frequency of dosage may be reduced as symptoms improve or as prescribed by the physician.

PRESENTATION: 30 ml.



DIBONIP TABLETS

Manage Diabetes Complications

डिबोनिप टैब्लेट्स रक्त शर्करा के ऊंचे स्तर को नियंत्रित करने के लिए।

INDICATIONS:

Increased frequency of urination, increased thirst, hyperglycaemia, weakness, cramps.

यह कार्बोहाइड्रेट मेटाबोलिज्म में होने वाला विकार है जो पेन्क्रियाज, इंसुलिन के आंतरिक स्नाव में कमी तथा रक्त में शर्करा की मात्रा बढ़ने की वजह से होता है। डिबोनिप मिक्युरिशन बढ़ना, पिंडलियों में दर्द, प्यास लगना, होठों का सूखना, अनिद्रा, नर्वस प्रोस्ट्रेशन, मधुमेह के कारण गुर्दो तथा स्नायु क्रिया प्रणाली को पहुंचे नुकसान में सुधार लाता है।

COMPOSITION:

Each Tablet Contains:

Crataegus Oxyacantha 3x, Cuprum Arsenicosum

6x, Acidum Phosphoricum 3x, Syzygium Jambolanum 3x, Cephalandra Indica 3x, Gymnema Sylvestre 3x, Uranium Nitricum 3x, In equal proportion Excipients q.s. to 1 Tablet of 100 mg.

DOSAGE:

Adults: 4 tablets 4-6 times daily.Children: 2 tablets 4-6 times daily or as prescribed by the physician.PRESENTATION: 25qm.



DIGERITE SYRUP

डाइजीराइट सिरप्

For Digestive Disorders & Acidity

पाचन क्रिया में गड़बडी एवं अत्याधिक अम्लता के लिए

INDICATIONS:

Acidity, flatulence, dyspepsia, gastritis, colic, gastrocardiac syndrome, hyperacidity syndromes resulting from erratic food/alcohol intake, dystention of stomach and forcible eructation of gas, pulsation in pit of stomach, violent gastralgia, obstinate constipation and related bowel disorders. डाइजीराइट पेट में अफारा, गैस, पेट दर्द, पेट में जलन, अम्लता, पेट में भारीपन, बदहजमी इत्यादि के लिए अत्यंत गुणकारी एंव लाभदायक उपाय है।

COMPOSITION:

Piper Nig. 2D, Nux Vom 3D, Thymus Serphyllieum 5D, Asafoetida 3D, Hydrastis can 3D, Lycopodium Clavatum 2D, Coriandrum Sativa 5D, Carbo Veg. 5D, Syrup base, Alcohol Content 5.16% v/v.



DOSAGE:

Adults: One teaspoonful twice daily.

Children: Half teaspoon twice daily after meals or as directed by the physician. **PRESENTATION:** 115 ml. & 450 ml.

DIZESTO SYRUP

Tonic for Digestive Disorders



INDICATIONS:

Acidity, flatulence, nausea, cramps and colic in abdomen, gastritis, acidity, diarrhoea and constipation, heart burn, peptic ulcer, altered bowel habits and other related problems of gastro intestinal troubles.

डाइजैस्टो सिरप् पेट में अम्लता, पेट फूलना, एसिडिटी, पेट दर्द, दस्त व कब्ज, सीने में जलन इत्यादि के लिए अत्यंत गुणकारी एंव लाभदायक उपाय है।

COMPOSITION:

Piper Nigrum 2x, Nux Vomica 3x, Thymus Serphyllum 5x, Asafoetida 3x, Hydrastis Canadensis 3x, Lycopodium Clavatum 2x, Coriandrum Sativum



5x, Carbo Vegetabilis 5x, Deionised Water & Excip. q.s. to make 100% v/v, Alcohol Content 8.0% v/v

DOSAGE:

Adults:One teaspoonful three times daily after meals.Children:Half the adult dosage or as prescribed by the physician.PRESENTATION:115 ml. & 450 ml.

DENGNIL

Helps in high fever due to Dengue

13

डेंगू के उपचार में प्रभावशाली

INDICATIONS:

Sudden high fever due to Dengue, Severe Headache, Joint and Muscle Pains, Vomiting, Pain around the eyes.

डेंगू के कारण अचानक तेज बुखार, तीव्र सिर दर्द, जोड़ों और मांसपेशियों में दर्द, त्वचा पर घमोरियाँ, उल्टीयाँ और आंखों के आस–पास दर्द।

COMPOSITION:

Each 5 ml Contains:

Tinospora Cordifolia Ø, Carica Papaya Ø, Ocimum Sanctum Ø, Azadirachta Indica Ø, Rhus Toxicodendron, Eupatorium Perfoliatum 3X, Gelsemium Sempervirens 3X, Belladonna 3X, in Syrup Base

DOSAGE:

For prevention

Adults: 15-20 ml. twice a day.

Children: Half the adult dose or as prescribed by the physician.

PRESENTATION: 180 ml.

ELIXIR-RITE

Restorative Tonic

INDICATIONS:

Elixir-Rite is a restorative tonic recommended in convalescence, lack of appetite, anaemia and especially for conditions of fatigue & impaired digestion.

भूख न लगना, खून की कमी, थकान, शरीर में ऊर्जा की कमी आदि में एलिक्सीर राइट एक आदर्श दवा हैं।

COMPOSITION:

Avena Sativa Ø, China off 2x, Ginseng Ø, Hydrastis can Ø, Alfalfa Ø, Acidum Formicum 4x, Lecithin 2x, Coca Ø, Ashoka 2x, Manganum Acet 2x, Deionised Water & Excip., Alcohol contents 9.1% v/v.

DOSAGE:

Adults: One tablespoonful.

Children: One teaspoonful, three times a day before meals or as directed by the physician.

PRESENTATION: 180 ml.



एलिक्सीर राइट

शरीर को मजबूती देने मे सहायक



डेंगनिल सिरप

TRIMMEX DROPS

ट्रिममैक्स ड्राप्स्

Helps to Attain Slim Trim Figure

मोटापे को कम करने मे लाभदायक

INDICATIONS:

Tendency towards excess weight, lethargic disposition disproportionate protrusion of the figure, especially around hips post pregnancy weight gain, easily fatigued.

वजन में लगातार वृद्धि होना, विशेष रूप से गर्भावस्था के बाद कूल्हों के पास वजन का बढ़ना, थकावट, अधिक न चलने—फिरने के कारण वजन में वृद्धि आदि में ट्रिममैक्स ड्राप्स् बिना कमजोरी वजन सही बनाए रखने में मदद करती है।

COMPOSITION:

Each 5 ml Contains: Fucus Ves. 2x, Phytolacca Berry 3x, Amm. Brom. 2x, Pulsatilla Q, Thyroidinum 6x, Deionised Water and Excip. q.s., Alcohol Content 16.65% v/v.



20 Drops of TRIMMEX drops diluted with half tablespoon of water to be taken 10 minutes before meals twice daily or as prescribed by the physician.

PRESENTATION: 30 ml.

CAUTION: Not to be used during pregnancy.

FERRUM FAB TONIC

Iron Tonic

INDICATIONS:

Iron deficiency anaemias due to chronic blood loss, inadequate intake of iron, prevention and treatment of iron deficiencies during pregnancy and lactation, malnutrition and impaired absorption, systemic inadequacy, anorexia and general debility.

शरीर में आयरन व रक्त की कमी, अपर्याप्त लोह का सेवन, कमजोरी, अपर्याप्त पोषण, भूख कम लगना, गर्भावस्था और स्तनपान के दौरान लोह की कमियों के उपचार एंव रोकथाम आदि में फैरम फैब गुणकारी एंव लाभदायक दवा है।

COMPOSITION:

Each 5 ml. Contains

Ferrum Lacticum 1x, Ammonium Aceticum 1x, Nat Phos. 1x, Kali. Phos. 1x, Acidum Citricum 1x, Acidum

Phos. 1x,Glycerinum, Syrup base, Alcohol Content 5.4% v/v.

DOSAGES:

One or two teaspoonful with cold water three times a day or as directed by the physician.

PRESENTATION: 115 ml. & 450 ml.







फैरम फैब टॉनिक

ऑयरन टॉनिक



FEVO GO SYRUP

फिवो गो सिरप् बुखार एंव फ्लू के उपचार में लाभदायक

INDICATIONS:

Effective medicine in all types of fever, inflammation, influenza, coryza, remittent fever, typhoid, perpetual, scarlet and also septic fever.

सभी प्रकार के बुखार, नज़ला, ग्लैंडस में सूजन, बलगम आना, गले में सूजन, पेचिश तथा जोड़ों में सूजन, रात के समय तापमान बढ़ जाने आदि की स्थिति में फिवो गो सिरप् लाभदायक उपाय है।

COMPOSITION:

Each 5 ml Contains: Aconite Nap. Ø, Bryonia Alba Ø, China Officinalis Ø, Gelsemium Semp Ø, Nux Vomica Ø Rhus Tox. Ø, Calc. Phos. 1x, Caffeinum 1x, Ferrum Phos. 1x, Nat Sulph 1x, Syrup q.s., Alcohol Content 7.02% v/v.

DOSAGES:

Adults: 1 teaspoonful with water 4-5 times a day.

Children: 1/2 teaspoonful with water 4-5 times a day or as prescribed by the physician.

PRESENTATION: 115 ml. & 450 ml.

FLU KURE TABLETS

Remedy for Flu and Cold

INDICATIONS:

Sneezing, runny nose, headache, bodyache and lassitude.

सिर दर्द, बुखार, थकावट, सर्दी, मांसपेशियों तथा हडि्डयों में सूजन व दर्द जैसी समस्याओं से आराम दिलाती है।

COMPOSITION:

Each Tablet Contains Equal Proportion of:Arsenicum Album 200, Gelsemium Sempervirens200, Eupatorium Perfoliatum 200, Bellis Perennis200, Bryonia Alba 200, Excipients q.s. to 250 mg.

DOSAGES:

Adults:Acute Condition: 2 tablets every 2 hrs.Chronic Condition:2 tablets thrice daily.Children:Half the adult's dose or as prescribed by the physician.PRESENTATION:25gm.









Remedy for Pyrexia and Flu

GASTROMIN SYRUP

Excellent and Recognised Medicine for Gastric Upsets

गैस्ट्रोमीन सिरप

गैस से पीड़ित रोगियों के लिए असरदार उपाय

INDICATIONS:

Inflammatory Gastric Complaints, Hyperacidity, Flatulence, Heartburn, nervously irritable stomach. पेट में सूजन, अति–अम्लता, वाई–बादी या उदर–वायु, सीने में जलन, उत्तेजनशील पेट होने पर या अधीरता की शिकायत पर गैस्ट्रोमीन सिरप् लेने की सलाह दी जाती है।

COMPOSITION:

Natrum Phosphoricum 2x, Capsicum ann 2x, Robinia Pseudocacia 2x, Acidum Sulphuricum 3x, Phosphorous 5x, Syrup Base q.s., Alcohol Content 9% v/v.



DOSAGES:

1-2 Teaspoonful 3 times a day before meals with water or as prescribed by the physician. It is recommended to have a suitable diet to activate this therapy.

PRESENTATION: 115 ml. & 450 ml.

GASTROMIN PLUS TABLETS

Remedy for Hyper acidity & Indigestion

गेस्ट्रोमिन प्लस टैव्लेट्स् हाइपर एसिडिटी एंव अपच की समस्याओं में लाभदायक

INDICATIONS:

For hyper acidity, belching, abdominal cramps, discomfort after meals, vomiting, diarrhoea or constipation.

अपचन, पेट व सीने में जलन, भूख कम लगना, उल्टी आना, तनाव, अवसाद, एसिडिटी के कारण लगातार डकार आना, सिर दर्द जैसी परेशानियों को निंयत्रित कर लंबें समय तक आराम के लिए गैस्ट्रोमीन प्लस टैब्लेट्स का प्रयोग करें।

COMPOSITION:

Each Tablet Contains Equal Proportions of: Robinia pseudo 2x, Capsicum ann. 3x, Phosphorous 5x, Natrum Phos. 2x, Excipients q.s. to 550 mg.

DOSAGES:

Adults: 1 tablet 3 times a day.

Children: 1 tablet 2 times a day or as prescribed by the physician.

PRESENTATION: 25gm.



GASODROP

गेसो ड्रॉप्स्

INDICATIONS:

Painful inflammation of stomach and hyper-acidity, peptic ulcer, alcoholic gastritis, gas & flatulence.

पेट में दर्दनाक सूजन व जलन, पेट फूलना, पैप्टिक अल्सर, ज्वलनशील गैस आदि का बनना।

COMPOSITION:

Each 5 ml Contains:

Nux Vomica 3X, Lycopodium Clavatum 3X, Anacardium Orientale 3X, Atropa Belladonna 3X, Excipients q.s. Alcohol Content 65% v/v

DOSAGES:

10-15 drops in half cup water thrice a day or as prescribed by the physician.

PRESENTATION: 30 ml.



GLOWMEX

(Cream + Drops) Twin-skin Conditioner Set

INDICATIONS:

Acne, Blotches and Pimples, Allergic manifestation, Black- Heads Ideally suited for removing dark rings around eyes, for fairness of Skin Texture, Dry & Rough Skin.

ग्लोमेक्स

(क्रीम + ड्राप्स)

मुंहासे, धब्बे और फुंसियों के लिए, एलर्जी होने पर, चेहरे पर छोटे–छोटे काले दाग होने पर, आंखों के नीचे गहरे छल्लों को हटाने के लिए, त्वचा को साफ रखने के लिए, त्वचा के सूखेपन और रूखेपन को दूर करने के लिए ग्लो मेक्स एक आदर्श दवा है।

COMPOSITION:

- Drops: Berb Aqui 2x, Kali Brom 3x, Pulasatilla N 2x, Thuja Occ 4x, Sepia 5x, Alcohol 7% v/v., Excipients q.s.
- **Cream:** Berb Aqui Ø, Hydrastis Ø, Ledum Pal Ø, in a Non greasy base.



DOSAGE:

- **Drops:** Mix 10 drops in half table-spoon water thrice daily or as prescribed by the physician.
- **Cream:** Rub glowmex cream gently on your face and skin with circular motion of your finger tips. Leave the application overnight.

PRESENTATION: 30cc. Drops + 25 Gms. Cream (Twin Pack)

GLOWMEX

(Complexion & Radiance Cream) To Glorify Your Skin Texture ग्लोमेक्स (कॉम्पलैक्शन एंव रेडिएश्न क्रीम)

आपकी त्वचा को और आर्कषक बनायें

DESCRIPTION:

Your Skin needs Natural Fairness through Glowmex Cream

ग्लोमेक्स क्रीम आपकी त्वचा को प्राकृतिक निखार एंव कोमलता प्रदान करती है। ग्लोमेक्स आपके रंग को मनमोहक व सुंदर बनाने वाली क्रीम है जो आपकी त्वचा को फुंसी व मुहांसों के दाग–धब्बों से मुक्त करने में मदद करती है और आपकी त्वचा की प्राकृतिक चमक बढ़ाती हैं।

GLOW MEX GLOW MEX GLOW MEX

APPLICATION:

Rub GLOWMEX Cream gently on your Face and Skin with circular motion of your finger Tips. Leave the application overnight.

PRESENTATION: 25 gm. Tube.

ALSO USE GLOWMEX DROPS FOR UNIQUE DOUBLE ACTION.

GLANDORAL TABS

Corrects Endocrine System

ग्लैंडोरॉल टैब्लेट्स

ग्रंथियों के विकारों को दूर करने में सहायक

INDICATIONS:

All types of Glandular Ailments, Tonsilitis, Pharyngitis, Catarrhal, Locunar and Sore throat.

सभी प्रकार की ग्रंथियों की बिमारियों, गिलटियों की सूजन, आहार नलिका के रोगो में, प्रतिश्यायी, रिक्तिका तथा गले की खराश आदि बिमारियों से राहत पाने में ग्लैंडोरॉल टैब्लेटस प्रभावशाली है।

COMPOSITION:

Each Tablet of 330 mg. Contains:

Calc. lodide 3X Merc lodide 6X, Baryta lodide 3X, Ars. lodide 3X, Baryta Carb 3X, Belladonna 3X 0.03 ml. Excipients q.s.

DOSAGES:

1-2 tablets 3-4 times in a day or as prescribed by the physician. **PRESENTATION:** 25 gm.



GUATTERIA GAUMERI PLUS गौटेरिया गुमेरी प्लस

INDICATIONS:

Hypercholesterolemia हाइपरकोलेस्ट्रोलिमिया

COMPOSITION:

Each 5 ml. Contains:

Guatteria Gaumeri Ø Alcohol Contents 65% v/v

DOSAGES:

10-15 drops in 1/4th cup of water, 3 times a day or as prescribed by the physician.

DIRECTION FOR USE:

To be taken 10 minutes before or after meals or as directed by the physician.

PRESENTATION: 30 ml.



HAIR FORTE

Prevents Hair Loss and Premature Greying

INDICATIONS:

An excellent tonic to help strengthen roots of hair, Prevents hair loss due to mental strain, prolonged illness, Very useful against dry scalp, dandruff, split hair and premature greyness. Especially curative in helping to regenerate dead hair roots.

बालों का झड़ना, असमय सफेद होना, बालों का पतला एव गंजापन, बालों की जड़ों का कमजोर होना आदि समस्याओं से तुरंत समाधान के लिए हेयर फोर्ट बेजोड़ समाधान है।

COMPOSITION:

बालों के झडनें एंव सफेद होने से रोकने के लिए

INTERNAL: Acidum Phos. 6x, Lycopodium C 3x, Jaborandi 2x, Weisbaden 3x, Deionised Water & Excipients q.s. to 5ml. Alcohol 61.30% v/v.

हेयर फोर्ट

EXTERNAL: China Ø, Arnica Ø, Jaborandi Ø, Cantharis Ø, Glycerin, Alcohol 18.95 % v/v.

DOSAGE:

- INTERNAL: Children 5 drops diluted with half table spoon of water twice daily. Adults 10 drops diluted with half table spoon of water twice daily.
- EXTERNAL: Add 15-20 drops of HAIR FORTE in a cup of lukewarm water, and massage gently into hair. Wash and dry hair after 10-15 minutes. Use any oil preferably coconut based oil.
- PRESENTATION: Twin Pack of 30ml.

HITE MAX

Helps in Growth & Development

INDICATIONS:

For children who have imperfect assimilation, who do not grow and develop. बच्चो के विकास में बाधा या अन्दरूनी कमियों की पूर्ति एवं

विकास में लाभदायक है।

COMPOSITION:

Baryta Carb 200 HPI, Silicea 200 HPI, Thuja Occ. 200 HPL Calc. Phos 200 HPL

DESCRIPTION:

HITE MAX is a combination of well proven drugs

of homoeopathic therapeutics for growth of children. Height of an individual is determined by many factors, like: Genetic Hormonal balance, Nutritional status and General health. HITE MAX helps to achieve the optimal balance of these factors & helps in promoting height and growth to their full potential.

DOSAGE:

One tablet twice a week or as prescribed by physician.

PRESENTATION: 12 gm. & 25 gm.

HERNAL DROPS

INDICATIONS:

Pain or swelling due to any hernia, protrusion of an organ through the cavity wall in any hernia, pain or nausea associated with any hernia.

हर्नल ड्रॉप्स

हर्निया के कारण दर्द एंव सूजन, हर्निया के कारण किसी भी अंग का त्वचा से बाहर फैलाव और दर्दनाक होना एव हर्निया के दर्द के कारण जी मिचलाना।

COMPOSITION:

Each 5ml Contains:

Nux Vom. 6X, Cocculus Ind. 6X, Belladonna 6X, Lycopodium C. 6X, Plumbum Met 6X

DOSAGE:

Adults: 10-15 drops in water, 3 times a day, one hour before meals or as prescribed by the physician.

Children: Half the adult dose or as prescribed by the physician.

PRESENTATION: 30 ml.

20









हाडट मैक्स कद बढाने में सहायक

कफफिक्स खांसी से तुंरत राहत के लिए असरदार दवा

INDICATIONS:

Helps to relieve catarrhal conditions of liver. Relieves dyspepsia problems due to malfunctioning of the liver, loss of appetite and indigestion. Controls secretion of bile and is specially recommended for sluggish liver.

यकृत की खराब स्थिति, भूख न लगना, अपच की समस्या, मदं जिगर प्रणाली और पित्त के स्राव को नियंत्रित एवं सामान्य बनाने के लिए कालमेघ प्लस ड्रॉप्स लेने की सलाह दी जाती है।

COMPOSITION:

Each 5 ml. Contains:

Carica Papaya 3X, Chelidonium Majus Ø, Kalmegh Ø, Myrica Cerifera Ø, Alcohol Contents 27% V/V

DOSAGE:

Adults: 10 to 15 drops in some water thrice daily.Children: 5 drops in some water thrice daily or as prescribed by the physician.PRESENTATION: 30 ml.

कालमेघ प्लस

डॉप्स

KOUGHFIX SYRUP

Highly Efficacious Cough Syrup

INDICATIONS:

Most effective in whooping, Dry irritating & Spasmodic Cough, Laryngitis, Bronchitis, Tracheitis. गले में जलन पैदा करने वाली खांसी, सूखी व बलगम भरी खांसी, गले में सूजन, श्वास नली में सूजन व सांस नली में तकलीफ इत्यादि के लिए प्रभावकारी दवा है।

COMPOSITION:

Bryonia Alba 2x, Ipecac 3x, Antim Tart 3, Phosphorous 3, Drosera 1x, Justicia Ad 2x, Syrup base q.s., Alcohol 7% v/v.

DOSAGE:

Adults: One tablespoon

Children: Half teaspoonful every three hours or as directed by the physician.

PRESENTATION: 60 ml., 180 ml. & 450 ml.







KOUGHFIX TABLETS

Relieves in Dry, Irritating, Congestive Cough without Drowsiness

कफफिक्स टैब्लेट्स

बिना नींद के सूखी, चिड़चिड़ी, कंजेस्टिव खांसी में राहत देता है

INDICATIONS:

For irritating, dry/productive, continuous/spasmodic cough associated with headache and fever.

गले में खराश होने के कारण पैदा होने वाली खांसी, ठंडी हवा से पैदा होने वाली सूखी अथवा बलगम युक्त एंव कुकुरखांसी के लिए कारगर है। यह छाती में स्पासमोडिक परेशानियों को कम करती है। श्वसन नलिका में गंभीर कैटरल की स्थिति के निवारण के लिए अचूक उपाय है।

COMPOSITION:

Each Tablet Contains Equal Proportion of: Bryonia Alba 3x, Ipecacuanha 3x, Antimonium Tart. 6x, Phosphorus 6x, Drosera Rot. Q, Justicia Ad. 2x, Excipients q.s. to 550 mg.



Adults: One tablet 4 times a day.

Children: One tablet 2 times a day or as prescribed by the physician.

PRESENTATION: 25 gm.

LIVKARE

लिवकेयर

स्वस्थ यकृत के लिए आदर्श टॉनिक

INDICATIONS:

A Complete Liver Tonic

An ideal liver remedy for sluggish liver, Enlargement of liver, most efficacious in hepatitis, Jaundice, Biliousness, reduces Toxic and after effects of Alcohol.

लिवकेयर मंद जिगर या बढ़े हुए जिगर के लिए एक आदर्श दवा है, यह हेपेटाइटिस, पीलिया और पित्तदोष—ग्रस्त में लिवकेयर अत्यंत प्रभावशाली है साथ ही यह विषैले व मदिरोत्तर प्रभाव को कम करती है।

COMPOSITION:

Kalmegh 1x, Carica pap. 2x, Myrica Cerifera 1x, Chelidonium Majus 1x, Chionanthus v. 1x, In Flavoured Syrup Base q.s., Alcohol content 3% v/v.



DOSAGE:

| Adults: | |
|---------------------|--|
| Children: | |
| If having Jaundice: | |

One teaspoon twice daily. Half teaspoon twice daily before meals. One teaspoon (Children half teaspoon every three hours) or as Prescribed by the Physician.

PRESENTATION: 100 ml., 180 ml. & 450 ml.



LDD HYMUSA PLUS

एलडीडी हाईमूसा प्लस

INDICATIONS:

In case of Sciatica, Lumbago, Neuralgia, Inflammation of Vertebrae, Myalgia, Frozen Shoulder and joint pains.

सियाटिका, लुंबागो, न्यूरलगिया, कशेरूकाओं की सूजन, मायलागिया, फ्रोजन शोल्डर और जोड़ों में दर्द।

COMPOSITION:

Each 5ml Contains:

Acidum Benzoicum 3X, Arnica Montana Ø, Bryonia Alba Ø, Dulcamara Ø, Kali lodatum 3X, Rhododendron Chrysanthu 3X, Rhus Toxicodendron Ø, Ruta Graveolens Ø, Alcohol Contents 6.6% V/V

DOSAGE:

One teaspoonful three times a day or as prescribed by the physician.

PRESENTATION: 115ml.



मेनसॉल प्लस

MENSOL PLUS

For anaemia, backache, abdominal cramp, loss of appetite, pelvic pain, hot flushes of palm & soles, mental & physical tiredness and other condition of ill health in females. Purity and form new blood for glow & health.

एनीमिया, पीठ में ऐंठन, भूख में कमी, श्रोणि का दर्द, हथेली और तलवों में गर्मी व लालिमा, मानसिक और शारीरिक थकान व महिलाओं में अन्य प्रकार की बिमारियों के लिए। स्वस्थता और निखार के लिए नए रक्त का निर्माण करने आदि में मेनसॉल प्लस लेने की सलाह दी जाती है।

COMPOSITION:

Each 5ml Contains:

Janosia Ashoka Ø, Cinchona Officinalis Ø, Abroma Augusta Ø, Caulophyllum Thalictroides Ø, Viburnum Opulus Ø, Pulsatilla Nigricans Ø Magnesium Phosphoricum 3X, Calcarea Phosphorica 3X, Alcohol Contents 7% V/V Syrup Base Q.s.

DOSAGE:

One teaspoonful three times daily with fresh water or as per physician's recommendation.

PRESENTATION: 115ml.



MENSORAL

Ideal Female Tonic for Restoration of Disturbed Cycle of Menstruation

मेन्सोरल सिरप

रजोधर्म चक्र को नियमित करने के लिए स्त्रियों का आदर्श टॉनिक

मलियन ऑयल

कान के रोगों के लिए लाभदायक

INDICATIONS:

Mensoral very effectively regulates the menstural cycle having tonic effects on female organs, prevents miscarriage or accidental abortion & corrects Amenorrhea, leucorrhea, menorrhagia, etc. मेन्सोरल टॉनिक स्त्रियों के अंगों पर अच्छा प्रभाव डालता है जिससे रजोधर्म चक्र नियमित हो जाता है। ऐमेनोरिया, ल्यूकोरीया, मेनोरजिया आदि को भी नियमित करता है।

COMPOSITION:

Pinus Lambertiana Ø, Pulsatilla Nig Ø, Caulophyllum TØ, Gossypium HØ, Syrup base q.s., Alcohol 11% v/v.



1-2 teaspoonful with water twice daily or as prescribed by the physician.

PRESENTATION: Bottle of 115 ml. & 450 ml.

CAUTION: Do not use in pregnant females.

MULLEIN OIL

Ear Drops

INDICATIONS:

It is an Analgesic and Antiseptic Preparation for various ear problems like earache, Otorrhoea, Early otitis media, Tinnitus Hardened, Ceremen Plug and Deafness

मुलियन ऑयल विशेषकर कान का दर्द, कान में सूजन, फंगस, इन्फेक्शन से कान के अंदर मवाद का बनना, दुर्गंध, खुजली एंव खुसखुसाहट को दूर करने में लाभदायक है। यह कान के बहरेपन को ठीक करने में भी महत्वपूर्ण भूमिका निभाती है।

COMPOSITION:

Mullein Ext. HPI, Glycerin HPI, Acidium Boracicum HPI, Excip. q.s. to 100%, Alcohol Content 18% v/v.

USAGE:

3 drops 3-4 times a day put in your ears and close it with cotton. **PRESENTATION:** 15 ml. & 25 ml.





GINSENG TAB

जिनसेंग टैब्लेट्स

INDICATIONS:

Ginseng Tablets helps body to adapt to stress, fatigue, etc. Improves immune function, stimulates vitality, works as restorative.

यह शरीर को तनाव मुक्त, सक्रिय व प्रतिरक्षा प्रणाली को स्वस्थ रखने में महत्वपूर्ण भूमिका निभाती है।

COMPOSITION:

Ginseng 1x in Lactose base.

DOSAGE:

1-2 Tablets thrice a day or as prescribed by the physician.

PRESENTATION: 25gms. & 450gms.



| PHYTOLACCA BERRY TABLETS | फाइटोलैका बैरी टैब्लेट्स |
|------------------------------|-------------------------------|
| Remedy for Weight Management | मोटापे को कम करने में लाभदायक |

PHYTOLACCA BERRY IS USEFUL:

In the treatment of obesity, a glandular remedy has a powerful effect on fibrous and osseous tissues-decreases weight.

मोटापे को कम करने के लिए. चर्बी की अधीकता जो खास तौर पर पेट और नितम्बों के आसपास होती है आदि को कम करने में प्रभावशाली है।

COMPOSITION:

Phytolacca Berry in Lactose base.

DOSAGE:

4 tablets one hour before meals, three times a day or as prescribed by the physician.

PRESENTATION: 25gms. & 450gms.



RHEUMA-RITE SYRUP

Remedy for Joint & Muscular Pain

26

INDICATIONS:

Arthritis, Osteoarthritis, Spondylitis, acute articular and periaticular disorders, lumbago gout and painful musculoskeletal conditions.

मस्कूलर रिह्यूमेटिज्म, साइटिका, काव्स में होने वाली अकड़न, अंगूलियों के पोर कड़े और सुन्न हो जाना, रात के समय पैरों में असहनीय दर्द को नियंत्रित कर आराम देती है। यह दवा हडिडयों, जोडों तथा माँसपेशियों की दर्दनाक स्थितियों जैसे रिह्यमेटिक रोगों, अर्थराइटिस तथा स्पाँडिलाइटिस के उपचार के लिए प्रभावशाली है।

COMPOSITION:

Acidum formicum 3x, Colchicine 5x, Rhus Tox 3x, Natrum Salicylicum 3x, Ledum Pal 3x, Dulcamara

3x, Lithium Carb. 5x, Gelsemium sem 3x, Ulmus Fulva 5x, Deionised Water & Excip. q.s. to 5 ml., Alcohol contents 5.74% v/v.

DOSAGE:

One teaspoonful diluted with guarter cup of luke warm water twice a day or as directed by the physician.

PRESENTATION: 115 ml. & 450 ml.

RHEUMA RITE GEL

For Ouick Relief from Pain & Restores **Mobility of Joints**

INDICATIONS:

Rheuma Rite Gel is useful for sprains, stiffness of muscles, Inflammation, Swelling, pains, sciatica, rheumatic arthritis, gout & osteo-arthritis.

जोडों एंव मांसपेशियों में अकड़न, सूजन, दर्द, गठिया व पुराने ऑस्टियो–ऑथराइटिस आदि में अत्यन्त लाभकारी व गणकारी हैं।

COMPOSITION:

Each Tube of 25 gms. Contains: Arnica Montana 1x, Cantharis 1x, Gaultheria Procumbans 1x, In equal proportion total 1%, Methyl Salicylate, Gel Base g.s.

MODE OF USE:

Massage on the effected areas for 2-3 time daily. PRESENTATION: 25 gms.

रह्यमा राइट जैल

जोड़ों एंव मांसपेशियों के दर्द में अत्यन्त लाभकारी व गणकारी







रह्यमा राइट सिरप जोडों एव मांसपेशियों के दर्द से राहत में लाभदायक

LDD RHEUMA RITE OIL

रह्यमा राइट दर्द निवारण तेल

INDICATIONS:

Joint and muscular pain, swelling and stiffness of joints, acute and chronic arthritis, sprains rheumatism.

जोड़ों और मांसपेशियों में दर्द, जोड़ो में जकड़न और सूजन, तीव्र और पुरानी गठिया, मोच आदि से तुरंत राहत के लिए लाभदायक।

COMPOSITION:

Each 10 ml. Contains:

RhusTox, 1x 2ml, Bryonia Alb. 2x 1ml, Terebinthinae 1x 2ml, Camphor 1x 2ml, Menthol 1x 1ml, Thymol 1x 1ml, Symphytum off, 1x1ml, in Sesame Oil (Non Alcoholic) q.s.

MODE OF USE:

Massage on the effected areas for 3-4 times daily.

PRESENTATION: 60 ml.

CAUTION:

Do not apply on crack skin. For external use only.



रूहमेटिक फोर्ट टैब्लेटस

INDICATIONS:

Slipped disc, sciatica, arthritis, waist pain and joint pain etc.

जोड़ों और मांसपेशियों में दर्द, जोड़ों में जकड़न और सूजन, तीव्र और पुरानी गढिया आदि से तुंरत राहत के लिए असरदार उपाय है।

COMPOSITION:

Each Tablet Contains:

M.P. 200X, C.F. 200X, Acid Benz 6X, Rhus Tox. 3X, Colocynthis 6X, Gnaphalium 3X, Urica Ur. 3X, Microtinum 3X, Lactose Base q.s.

DOSAGE:

One tablet daily upto cure or as prescribed by the physician.

PRESENTATION: 25 gm.





SARSA PURE

सरसा प्योर



INDICATIONS:

In cases of pimples, acne, psoriasis, scabies, pustules, urticarial, nose bleed from the

slightest scratch and burning before and after urination. A safe blood purifier against seasonal infections of the cutaneous tissues.

फुंसी, मुंहासे, सोरायसिस, खुजली, पित्ती, मूत्र से पहले और बाद में हल्की सी खरोंच और जलन। त्वचीय उत्तकों के मौसमीय संक्रमण के खिलाफ एक सुरक्षित रक्त शोधक है।

COMPOSITION:

Each 100 ml. Contains:

Azadirachta Indica Ø, Echinacea Angustifolia Ø, Gentiana Lutea Ø, Phytolacca Decandra Ø, Sarsaparilla Ø, Sulphur 2X Swerti Chirata Ø, Tinospora Cordifolia Ø, Vernonia Anthelmintica Ø, Alcohol Contents 7.5% V/V



DOSAGE:

Adults: One teaspoonful 2-3 times a day.Children: Half teaspoonful 1-2 times a day or as prescribed by the physician.

PRESENTATION: 115ml. & 450 ml.

TENSO GO TABLETS

Remedy for Relieving Stress and Headache

टेनसो गो टैब्लेट्स

सरदर्द और तनाव से राहत में सहायक

INDICATIONS:

Headache due to exposure to sun, indigestion, nervousness, mental stress, migraine, headache associated with nausea and vomiting.

तेज धूप में ज्यादा देर तक रहने पर, अधिक परिश्रम, थकावट, आंखों में थकान, तनाव, मानसिक या भावनात्मक परेशानियाँ, पाचन तंत्र का स्थायी रूप से काम न करना व माइग्रेन से होने वाले सिरदर्द में काफी आरामदायक है।

COMPOSITION:

Each Tablet Contains:

Iris Versicolor 3x, Cedron 3, Ignatia Amara 6x, Spigelia Anthelmia 6x, Usnea Barbata 3x, In equal proportion, Excipients q.s. to one tablet of 100 mg.

DOSAGE:

Adults:4 tablets 3-4 times daily or 2-3 hourly during headache.Children:Half of adult's dose or as prescribed by the physician.PRESENTATION:25 gm.

STONORID DROPS

Helps to Expel Kidney Stones

INDICATIONS:

Renal & Ureteric calculi. गुर्दे से पथरी को निष्कासित करता है और पुनरावृत्ति को रोकता है।

COMPOSITION:

Berberis Vulgaris Ø, Sarsaparilla Ø, Ocimum Canum Ø, Solidago Virgaurea Ø, Pareira Brava Ø, Senecio Aureus Ø, Excipients q.s., Alcohol Content 61% v/v

DOSAGE:

10-15 drops in some water 2-3 times a day or as prescribed by the physician.

PRESENTATION: 30 ml.



SPONDIRID DROPS

स्पोन्डीरिड ड्रॉप्स्

स्टोनोरिड ड्रॉप्स

Helps in Cervical Spondylitis & Vertigo

INDICATIONS:

Spondylitis-particularly cervical spondylitis, pain, numbness, stiffness and stretching sensation in the nape, radiating to arms, fingers and loins, neuralgia, cramps, jerking, twitching and shortening of muscles, pain between shoulders, vertigo & headache, pressure over sacrum, spinal concussion & pain in coccyx radiating up the spine. Also very effective in cervical spondylosis.

स्पोण्डीलाइटिस–खासकर गर्दन का स्पोण्डीलाइटिस, दर्द, जकड़न और गर्दन के पिछले हिस्से में अकड़न एंव दर्द आदि परेशानियों में स्पोन्डीरिड ड्राप्स् बहुत प्रभावशाली है।

COMPOSITION:

Each 10 ml. Contains: Colocynthis Vulgaris 3×, Ruta Graveolens 3×, Hypercium Perforatum 5x, Ledum Palustre 2×, Cuprum Metallicum 30.2mg, Dulcamara 30.2 ml., Conium Maculatum 3×, Alcohol content 90% v/v

DOSAGE:

Adults: 10-15 drops in half cup of lukewarm water thrice a day or as prescribed by the physician.

Children: Half the adult dose, or as prescribed by the physician. **PRESENTATION:** 30 ml.

RENAL KURE SYRUP

Remedy for Renal Colic and Renal Inflammation गूर्दे की पथरी निकाले तथा दर्द से राहत दे।

INDICATIONS:

Renal calculi, Violent pain in kidney ureter and bladder, kidney inflammation. Difficult urination, burning or cutting pain in urethra during urination, blood in urine, renal colic. Feeble stream in urination, tender bladder. Also effective in Urinary Tract Infection.

गुर्दे की पथरी, गुर्दे में दर्द, मूत्रवाहिनी और मूत्राशय में तेज दर्द, गुर्दे में सूजन, मूत्र करने में परेशानी, मूत्र के दौरान मूत्र मार्ग में काटने वाला दर्द। मूत्र में रक्त आना साथ ही मूत्र मार्ग के संक्रमण आदि परेशानियों में प्रभावकारी है।



COMPOSITION:

Each 100 ml. Contains: Berberis Vul. Ø, Cantharis 3×,

Acidum Oxalicum 3x, Calcarea Renalis Ø, Sarsaparilla Ø, Pareira Brava Ø, Senecio Aureus Ø, Ocimum Canum Ø, Excipients Syrup Base q.s. to 100%, Alcohol content 10% v/v

DOSAGE:

Adults: 10 ml, 3-4 times a day.

Children: 5 ml, 3-4 times a day or as prescribed by physician.

PRESENTATION: 115ml. & 450 ml.

SLEEP KARE DROPS

स्लीप केयर ड्रॉप्स

रिनल क्योर सिरप

INDICATIONS:

For Insomnia, disturbed sleep patterns, nervous exhaustion and restlessness.

घबराहट, थकान, अनिद्रा, अवसाद, तनाव, नसों में दर्द, चिड़चिड़ापन, नींद संबंधी विकार इत्यादि परेशानियों से राहत के लिए स्लीप केयर का प्रयोग करें।

COMPOSITION:

Each 5 ml Contains: Ammonium Brom. 3X, Avena Sativa Ø, Chamomilla 4X, Kali Phos. 2X, Humulus Lupulus 2X, Ignatia Amara 6X. Passiflora In. 2X, Valeriana Off. Ø, Excipients Q.S., Alcohol Content 45% v/v

SLEEP KARE

DOSAGE:

Adults: 10-20 drops in some water, 3 times a day, one hour before meals.Children: Half the adult dose or as prescribed by the physician.PRESENTATION: 30 ml.

TONE-MAX The Rejuvenator

Tonic Exclusively for Men Strictly for Adults पुरु

पुरूषों का कायाकल्प टॉनिक (केवल वयस्कों के लिए)

INDICATIONS:

General debility, Sexual neurasthenia, nervous depression Debility from exhausting, discharges and loss of vital fluids Overall Restorative Tonic especially for conditions of fatigue.

सामान्य कमजोरी, यौन मनः शांति, घबराहट, उदासीनता, शरीर में मूल्यवान तरलों का अभाव, खास तौर पर थकावट की अवस्था में यह एक व्यापक टॉनिक है।

COMPOSITION:

Damiana 1x, Avena Sativa 2x, Agnus Cast 2x, China Officianalis 2x, Acidum Phos. 3x, Viburnum Opulus 3x, Lycopodium Clavatum 4x, Yohimbinum 1x, Alcohol 11% v/v.



DOSAGE:

Adults Only:

One teaspoonful twice daily preferably after principal meals or as prescribed by the physician.

टोन–मैक्स सिरप

PRESENTATION: (Syrup Base) 180 ml. & 450 ml.

TONE MAX 5000 DROPS

Powerful Nervine Tonic & Stimulant for Men

टोन मैक्स 5000 ड्राप्स्

शारीरिक दुर्बलता की पूर्ति के लिए

INDICATIONS:

Ldd's Tone Max 5000 is an instantaneous nervine tonic against male weakness. Ldd's Tone Max 5000 is an excellent rejuvenator. Ldd's Tone Max 5000 is a powerful restorative for men. Ldd's Tone Max 5000 helps to rejuvenate the lost vigour and vitality and make the men to enjoy the sexual life to their satisfaction in regard to actual stiffness and continuous long duration during sexual act. Ldd's Tone Max 5000 restores sense of well being and acts as a powerful mood Elevator. Ldd's Tone Max 5000 is a pure Homeopathic medicine with no side effects.

नपुंसकता, संभोग में कमी, शीघ्र पतन, शारीरिक दुर्बलता की पूर्ति में सहायक है।



COMPOSITION:

Damiana 1x, Avena Sativa 2x, Agnus Castus 2x, Cinchona Officianalis 2x, Acidum Phosphoricum 3x, Vibumum Opulus 3x, Lycopodium Clavatum 4x, Yohimbinum 1x

DOSAGE:

20-30 drops diluted with quarter cup of water taken twice or thrice daily after meals or as directed by the physician. **PRESENTATION:** 30 ml.

Remedy for Toxicity due to Nicotine, Alcohol & Drugs

DESCRIPTION:

LDD Toxrid is an ideal homoeopathic formula to reduce the toxic and after effects of nicotine and alcohol. It also acts as an effective antidote drug to reduce the toxicity generated by other allied strong medications. Regular use of Toxrid has proven to reduce the craving for alcohol and tobacco.

यह शराब एंव तंबाक में उपस्थित निकोटीन के सेवन से उत्पन्न टॉक्सिक असर को कम कर देती है तथा नियमित रूप से सेवन करने से शराब तथा धम्रपान की आदत को खत्म करने में मदद करती है।

COMPOSITION:

Strychninum Nit 3D, Avena Sat, Ø, Quercus

Glandium, Spiritus 2D, Kalmegh Ø, Caladium Seg. 3D Daphne Indica 2D, Excipients g.s., Alcohol 46.6% v/v.

DOSAGE:

15-20 drops diluted with half tablespoon of water taken twice daily. In acute cases to be taken four times daily or as prescribed by the physician.

<u>यरिप्लेक्स</u> ड्रॉप्स

PRESENTATION: 30 ml.

URIPLEX DROPS

INDICATIONS:

Symptoms associated with hyperuricemia (high levels of uric acid), Swelling/Redness or pain in joint etc.

ड्रॉप्स किडनी की खराब कार्य पद्धति को निंयत्रित करता है व सुनिश्चित करता है कि शरीर से अधिक मात्रा में यूरिक एसिड निष्कासित हो व असामान्य यरिक एसिड के संचय पर प्रतिबंध लगे

COMPOSITION:

Each 1ml Contains: Berberis Vulgaris H.P.I. 3X 0.25 ml., Lycopodum Clav. H.P.I. 3X 0.25 ml., Urtica Urens H.P.I. Ø 0.25 ml., Taraxacum H.P.I. 3X 0.25 ml.

DOSAGE:

10 drops in water, 3 times a day, 1 hour before or after meals or as prescribed by the physician.

PRESENTATION: 30 ml.







टोक्सरिड डाप्स

नशे की आदत से छुटकारा पाने के लिए सक्षम दवा

WARTKURE

INDICATIONS:

All types of warts/excrescences/condylomata of any size, shape, colour, contour, texture, etc. located anywhere on body with or

without oozing of moisture or blood.

सभी प्रकार के वार्ट / कॉडियोलोमाटा, किसी भी आकार, रंग, बनावट आदि के जो शरीर के किसी भी भाग में नमी या रक्त के बिना उपस्थित हो जाते है।

COMPOSITION:

Antimonium Crudum 6X, Causticum 6X, Dulcamara 4X, Natrum Sulphuricum 6X, Nitricum Acidum 3X. Staphysagria 6X, Thuja Occidentalis 2X, Alcohol 65% V/V.

DOSAGE:

Adult:15 drops in ¼ cup of luke-warm water3-4 times daily.

Children: Half the adult dose, Or as directed by the physician.

PRESENTATION: 30 ml.



WORMITAB

वोरमिटैब

INDICATIONS:

Gastrointestinal Irritation, Itching of Nose, Expels Ascaris Lumbricoides, Thread Worms, Tape worms, Pinworms and Hook Worms.

गैस्ट्रोइंटेस्टाइनल जलन, नाक में खुजली,एस्केरिस लुम्ब्रिकॉइड्स, थ्रेड वर्म्स, टेप वर्म्स, पिनवर्म्स और हुक वर्म्स को बाहर निकालता है।

COMPOSITION:

Santoninum 3x, Chenopodium Anthelminticum Ø, Filix Mas Ø, Cina Ø, Teucrium Marum Virum Ø, Atista Indica Ø, Sabadilla Ø, Spigelia Ø, In Lactose Base.

DOSAGE:

Take 2 Tablets, daily 3 times or as prescribed by the physician. **PRESENTATION:** 25 gms.





वॉर्टक्योर

YELO-LAX TABLETS

Strong Laxative

येलो–लेक्स टैब्लेट्स

कब्ज के लिए सुरक्षित और प्रभावशाली टैब्लेट्स

INDICATIONS:


LDD YELO-LAX tablet is an excellent tablet for infrequent stools, hard stools, relieving constipation and toning up the intestine, anal itching and sense of incomplete emptying after a bowel moment.

COMPOSITION:

Each 330 mg. tablet contains: Phenolphthalein 1x, Senna 1x, Sulphur 1x, Excipients q.s.

DOSAGE:

- Adults: 2-4 tablets at bed time.
- Children: 1-2 tablets at bed time or as prescribed by the physician.



AN EFFECTIVE REMEDY FOR:

Relieving Constipation. Anal itching. Infrequent Stools. Hard Stools. Toning up the intestine. Sense of Incomplete Emptying after a Bowel Moment.

LDD BIOCHEMIC

Tissue Remedies

- Calcarea Fluorica = CaF,
- Calcarea Phosphorica = $Ca_3(PO_4)_2$
- Calcarea Sulphurica = CaSO₄2H₂O
- Ferrum Phosphoricum = $Fe_3(PO_4)28H_2O_4$
- Kali Muriaticum = KCL
- Kali Phosphoricum = K₂HPO₄
- Magnesium Phosphoricum = MgHPO₄7H₂O
- Natrum Muriaticum = Nacl
- Natrum Phosphoricum = $Na_2HPO_412H_2O$
- Natrum Sulphuricum = $Na_2SO_410H_2O$
- Silicea = SiO₂
- कैल्केरिया फ्लोरिका
- 🛯 कैल्केरिया फास्फोरिका
- कैल्केरिया सल्फयूरिका
- फेरम फास्फोरिकम
- काली मूरियाटिकम
- 🔳 काली फास्फोरिकम

PRESENTATION: 25gm. & 450gm.

- काली सल्फयूरिकम
- मैग्निशियम फास्फोरिकम
- नैट्रम मूरियाटिकम
- नैट्रम फास्फोरिकम
- नैट्रम सल्फ्यूरिकम
- 🔳 सिलिसिया





एलडीडी के बॉयोकैमिक ऊतक उपचार

LDD BIO-COMBINATIONS एलडीडी जैव-संयोजन

1-28 Tablets

1—28 टैब्लेट्स

| | | | × × |
|----|-----------------------|------|----------------------------------|
| 1 | Anaemia | 15 | Menstrual Trouble |
| 2 | Asthma | 16 | Nervous Exhaustion |
| 3 | Colic | 17 | Piles |
| 4 | Constipation | 18 | Pyorrhoea |
| 5 | Coryza | 19 | Rheumatism |
| 6 | Cough, Cold & Catarrh | 20 | Skin Diseases |
| 7 | Diabetes | 21 | Teething Troubles in Children |
| 8 | Diarrhoea | 22 | Scrofula (enlarged Glands) |
| 9 | Dysentery | 23 | Toothache |
| 10 | Enlarged Tonsils | | Five-phos-tonic: Nerve and Brain |
| 11 | Fever | 25 | Acidity, Flatulence, Indigestion |
| | Headache | | Easy Parturition (Easy Delivery) |
| | Leucorrhoea | | Lack of Vitality |
| 14 | Measles | 28 | Tonic |
| 1 | अरक्ता | 15 | रजोधर्म की समस्याएँ |
| 2 | दमा | 16 | मानसिक थकान |
| 3 | उदरशूल | 17 | बवासीर |
| 4 | कब्ज | 18 | पाइरिया |
| 5 | नज़ला | 19 | गठिया |
| 6 | खाँसी, जुकाम व नज़ला | 20 | चर्मरोग |
| 7 | मधुमेह | 21 | बच्चों में दतोद्भेदन परेशानिया |
| 8 | अतिसार | 22 | परिवर्धित गंडमाला |
| 9 | पेचिश | 23 | दाँत दर्द |
| 10 | परिवर्धित गलतंडिका | 24 | पाँच फॉस टॉनिकः नस व दिमाग |
| 11 | बुखार | 25 | अम्लीयता, अफारा, अपच |
| 12 | सिरदर्द | 26 | सरल प्रसव |
| 13 | श्वेत प्रदर | 27 | ओज की कमी |
| 14 | खसरा | 28 | टॉनिक |
| RF | SENTATION: 25gm. & 4 | 450a | m |



PRESENTATION: 25gm. & 450gm.

LDD OINTMENTS

AESCULUS INDICATIONS:

Very effective in non-bleeding Piles, Fissures and Cracks of Anus. खून रहित बवासीर के लिए। PACKING: 25 gm.



LDD OINTMENTS

ACID CHRYSO

INDICATIONS:

Useful in skin diseases especially in ringworm, psoriasis, herpes, acne rosacea and vasicular lesions associated with foul smelling discharge. एग्जीमा, दाद, खुजली में उपयोगी। PACKING: 25 gm.

ARNICA

INDICATIONS:

Useful in traumatic injuries, sprain, muscular pains, neuralgias and haematoma.

चोट, मोच, मांसपेशियों का दर्द, तंत्रिका और रक्तस्राव में विशेष लाभकारी। PACKING: 25 am.

CALENDULA

INDICATIONS:

Antiseptic cream for healing wounds, cuts burns, bruises, clipped and rough hands. घाव, चोट, खरोंचे और जलने पर उपयोगी एंटीसेप्टिक। PACKING: 25 gm.

CANTHARIS

INDICATIONS:

Useful in burns and as a dressing for psoriasis, ulcers etc. जले हए हिस्से और फोडो के इलाज में उपयोगी। PACKING: 25 gm.

ECHINACEA

INDICATIONS:

An effective Antibacterial ointment for foul ulcers, gangrene, boils and insect bites.

कीटाणू नाशक क्रीम, पुराने घाव एव कीड़ों के काटने पर असरदार ।

PACKING: 25 gm.

GRAPHITES

INDICATIONS:

Useful in exudative eruptions, persistent dryness of skin, eczema and dermatitis.

असाध्य दाद एंव लगातार त्वचा पर सुखेपन से राहत के लिए। PACKING: 25 gm.

36



CANTHAR

ARNICA



CANTHARIS









LDD OINTMENTS

HAMAMELIS

INDICATIONS:

Very useful in bleeding piles and cracked heels. खूनी बवासीर और ऐड़ियों के फटने में लाभदायक। PACKING: 25 gm.

LEDUM

INDICATIONS:

Anti-dote for stings and bites of insects, rheumatic pains, especially for the joints. कीड़ों के काटने, बिच्छू के डंक मारने पर, चूहे के काटने, गठिया एंव ऐडी पर मोच के दर्द से राहत में लाभदायक। PACKING: 25 gm.



Effective in stiffness of joints of neck, rheumatism and sciatic.

जोड़ों और गठिया का दर्द, छपाकी के उपचार में लाभदायक।

PACKING: 25 gm.

SKOOKUM CHUCK INDICATIONS:

Useful in skin diseases like psoriasis eczema, dry and scabby skin.

स्केबीज और पेडीक्यूलेसिस के उपचार में लाभदायक। PACKING: 25 gm.

SULPHUR INDICATIONS:

An all purpose antibacterial ointment.

कीटाणु रोधक मलहम जो कि खुजली, रूखी त्वचा के अतिरिक्त घुटने और जोड़ों के दर्द में भी लाभदायक है। PACKING: 25 gm.

THUJA INDICATIONS:

Useful in warts and condylomata. मस्सों और कांडिलोमाटा में उपयोगी। **PACKING:** 25 gm.













LDD HOMOEOPATHIC TABLETS

| 1 | ANTIMONIUM CRUDUM 3X | 33 | GRAPHITES 3X |
|----|--------------------------|----|-----------------------------|
| 2 | ANTIMONIUM MURIATICUM 3X | 34 | GUN POWDER 3X, 6X |
| 3 | ANTIMONIUM TART 3X | 35 | HEKLA LAVE 3X |
| 4 | ARGENTUM IODATUM 3X | 36 | HEPAR SULPH 3X |
| 5 | ARGENTUM MET 3X | 37 | INSULIN 6X |
| 6 | ARS. SULPH. FLAV 4X, 6X | 38 | KALI BROMATUM 3X |
| 7 | ARSENIC IOD 4X, 6X | 39 | LECITHIN 3X |
| 8 | AURUM MET 3X | 40 | MACROTINUM 3X |
| 9 | AURUM MUR. NAT. 3X | 41 | MAGNESIA CARBONICA 3X |
| 10 | BARYTA CARB. 3X | 42 | MERCURIUS DULCIS 3X |
| 11 | BARYTA IODATA 3X | 43 | MERCURIUS IODATUS FLAVUS 3X |
| 12 | BARYTA MUR 3X, 6X | 44 | MERCURIUS IODATUS RUBER 3X |
| 13 | BORAX 3X | 45 | MERCURIUS SOLUBILIS 3X |
| 14 | CALCAREA ARS 3X | 46 | OLEUM JAC 3X |
| 15 | CALCAREA ARSENICOSA 3X | 47 | OVA TOSTA 3X, 6X |
| 16 | CALCAREA CARB 3X | 48 | PANCREATINUM 3X |
| 17 | CALCAREA HYPOPHOS 3X | 49 | PEPSINUM 3X |
| 18 | CALCAREA IOD 3X | 50 | PITUTARY POSTERIOR 3X |
| 19 | CALCAREA OXALICA | 51 | PLUMBUM IODATUM |
| 20 | CALCAREA RENALIS 3X | 52 | PLUMBUM METALLICUM 3X |
| 21 | CARBO VEG. 3X, 6X | 53 | SANGUINARINUM NITRICUM 3X |
| 22 | CHINA 3X | 54 | SANTONINE 3X |
| 23 | CHININUM ARSENICOSUM 3X | 55 | SELENIUM 3X |
| 24 | CHININUM SULPH 3X | 56 | SKOOKUM CHUCK 3X |
| 25 | CHOLESTERINUM 3X | 57 | STRYCHNINUM PHOS 3X, 6X |
| 26 | CINNABARIS 3X | 58 | TELLURIUM 3X |
| 27 | CUPRUM OXY NIG. 3X | 59 | THIOSINAMINUM 3X |
| 28 | FEL. TAURI. 3X | 60 | THYROIDINUM 3X, 6X |
| 29 | FERRUM ARSENICICUM 3X | 61 | TITANIUM 3X |
| 30 | FERRUM IODATUM 3X | 62 | URANIUM NIT 3X 6X |
| 31 | FERRUM MET 3X | 63 | YOHI MBINUM 3X |
| 32 | FERRUM PICRATE 3X | 64 | ZINCUM METALLICUM 3X |

PACKING: 25 gm. & 450 gm.

LD-DENT TOOTHPASTE

एलडी-डेन्ट ट्रथपेस्ट

Special Herbal Formula providing Strong, दांतों की संपूर्ण देखमाल के लिए विशेष नुस्खा Healthier, Whiter teeth with Freshness

LD-DENT stops bad breath also suitable for gums and teeth sensitive to hot and cold drinks.

एलडी—डेन्ट टूथपेस्ट बदबूदार साँस हटाने, ठण्डें व गर्म पेय पदार्थों के प्रति संवेदनशील दांतों व मसूड़ों के लिए उपयुक्त है।

IMMUNISING EFFECTS:

LD-DENT has been developed for immunising the healthy dental section of human body.



HOW TO USE:

Use super soft toothbrush, brushout slowly and gently before retiring to bed and in the morning.

"Brush with LD-DENT in the night. Wake up fresh with gestures bright"

PRESENTATION: 100 gm.

LDD ARNICA HAIR OIL

For Smooth, Glossy & Extraordinary Soft Hair

एलडीडी का अर्निका केश तेल

चिकने, चमकदार व असाधारण मुलायम बालों के लिए एलडीडी अर्निका तेल

An Excellent medicated Hair Tonic for Dry Scalp blended with Genuine Extracts of Jaborandi Arnica, Cantharis, China, Amla and other reputed Indian Herbs put together in a Base of pure Groundnut Oil. Arnica Hair Oil keeps the Hair clean, restores the Natural Growth of the Hair & maintains the extra Softness, Gloss & Silky nature of your Hair in a Natural way.

शुष्क खोपड़ी हेतु बेहतरीन बालों का टॉनिक जिसे जेबोरेण्डी, अर्निका, कैन्थरिस, चाईना, आँवला व अन्य बेहतरीन जड़ी–बूटियों के शुद्ध अर्क से तैयार किया गया है। अर्निका केश तेल से बाल साफ रहते है, उनका नैसर्गिक विकास बना रहता है तथा यह आपके बालों को अति



मुलायम, चमकदार व रेशमी स्वरूप को प्राकृतिक तौर पर बनाए रखता है। PRESENTATION: 100 ml., 200 ml., 500 ml. & 1 ltr.

LDD ARNICA SHAMPOO

एलडीडी अर्निका शैम्पू

For Soft, Silky & Healthy Hair

सुन्दर, मुलायम एव मजबूत बालों के लिए

LDD ARNICA SHAMPOO

With extra conditioner for perfect care of your hair problems like dandruff, hair fall & premature graying.

एलडीडी अर्निका शैम्पू बालों में कुदरती चमक लाता है व बालों को मजबूत बनाता है। यह बालों का झड़ना, रूसी, कमजोरी या समय से पहले सफेद हो जाना आदि समस्याओं से निपटने में अर्निका शैम्पू महत्पूर्ण भूमिका निभाता है।

DIRECTIONS:

Wet Hair, apply Shampoo, Lather, rinse and repeat the process. **PRESENTATION:** 100 ml., 200 ml., 500 ml. and 1Litre



CANTHAZOL

A Special Anti Dandruff Shampoo

कैन्थाजोल शैम्पू एक विशेष रूसी विरोधी शैम्पू

A special anti-dandruff shampoo, which is specially recommended for seborrhoea, a greasy condition of the scalp, scaly skin problems and dry scalp, and thus checks falling of hair. With its deep penetrating power into the hair roots it has a revitalising effect on the hair with its antiseptic property, it also prevents any scalp infection.

कैन्थाजोल एंटी—डैन्ड्रफ शैम्पू जिसकी सिफारिश खास तौर से सिर की चिपचिपी त्वचा, परतदार त्वचा तथा शुष्क शीर्ष त्वचा के लिए की जाती है और इस प्रकार बालों का झड़ना—टूटना बंद हो जाता है। बालों की जड़ों में अंदर तक धुस जाने के कारण यह बालों में पुर्नजीवन लाने का असर डालता है और साथ में इसकी प्रतिरोधी विशेषता सिर की त्वचा में कोई संक्रमण आने से भी बचाव करता है।



PRESENTATION: 100 ml., 200ml. & 500 ml.

LDD DROPS

(LD 1–LD 71)



(एलडी 1–एलडी 71)

| LD 1Tumour DropsLD 2Sciatica DropsLD 3Eczema DropsLD 4Psoriasis DropsLD 5Vertigo DropsLD 6Asthma DropsLD 7Cough DropsLD 8Sinus DropsLD 9Joint DropsLD 10Rheuma DropsLD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 19Glandular Drops for WomenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility DropsLD 37Pancreas DropsLD 36Circulatory Debility Drops | S. No. | Name |
|--|--------|------------------------------|
| LD 3Eczema DropsLD 4Psoriasis DropsLD 5Vertigo DropsLD 6Asthma DropsLD 7Cough DropsLD 8Sinus DropsLD 9Joint DropsLD 10Rheuma DropsLD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 1 | Tumour Drops |
| LD 4Psoriasis DropsLD 5Vertigo DropsLD 6Asthma DropsLD 7Cough DropsLD 8Sinus DropsLD 9Joint DropsLD 10Rheuma DropsLD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 2 | Sciatica Drops |
| LD 5Vertigo DropsLD 6Asthma DropsLD 7Cough DropsLD 8Sinus DropsLD 9Joint DropsLD 10Rheuma DropsLD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 3 | Eczema Drops |
| LD 6Asthma DropsLD 7Cough DropsLD 8Sinus DropsLD 9Joint DropsLD 10Rheuma DropsLD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 4 | Psoriasis Drops |
| LD 7Cough DropsLD 8Sinus DropsLD 9Joint DropsLD 10Rheuma DropsLD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 5 | Vertigo Drops |
| LD 8Sinus DropsLD 9Joint DropsLD 10Rheuma DropsLD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 6 | Asthma Drops |
| LD 9Joint DropsLD 10Rheuma DropsLD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 7 | Cough Drops |
| LD 10Rheuma DropsLD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 8 | Sinus Drops |
| LD 11Liver and Gall Bladder DropsLD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 9 | Joint Drops |
| LD 12Influenza DropsLD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 19Glandular Drops for WomenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 10 | Rheuma Drops |
| LD 13Essentia Aurea-Gold DropsLD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 19Glandular Drops for WomenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 11 | Liver and Gall Bladder Drops |
| LD 14Heart DropsLD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 19Glandular Drops for WomenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 12 | Influenza Drops |
| LD 15Cardiac Arrhythmia DropsLD 16Prostatitis DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 19Glandular Drops for WomenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 13 | Essentia Aurea-Gold Drops |
| LD 16Prostatitis DropsLD 17Obesity DropsLD 17Obesity DropsLD 18Glandular Drops for MenLD 19Glandular Drops for WomenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 14 | Heart Drops |
| LD 17Obesity DropsLD 18Glandular Drops for MenLD 19Glandular Drops for WomenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 15 | Cardiac Arrhythmia Drops |
| LD 18Glandular Drops for MenLD 19Glandular Drops for WomenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 16 | Prostatitis Drops |
| LD 19Glandular Drops for WomenLD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 17 | Obesity Drops |
| LD 20Neuralgia DropsLD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 18 | Glandular Drops for Men |
| LD 21Sexual Neurasthenia DropsLD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 32Hemorrhoidal DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 19 | Glandular Drops for Women |
| LD 22Veins DropsLD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 32Hemorrhoidal DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 20 | Neuralgia Drops |
| LD 23Brain DropsLD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 21 | Sexual Neurasthenia Drops |
| LD 24Calcification DropsLD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 22 | Veins Drops |
| LD 25Epilepsy DropsLD 26Migrain and Neuralgia DropsLD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 23 | Brain Drops |
| LD 26 Migrain and Neuralgia Drops LD 27 Vitality Drops LD 28 Kidney and Bladder Drops LD 29 Nerve and Sleep Drops LD 30 Inflammation Drops LD 31 Diarrhoea Drops LD 32 Hemorrhoidal Drops LD 32 Piles Drops LD 33 Haematinic Drops LD 34 Intestinal Colic Drops LD 35 Anasarca Drops LD 36 Circulatory Debility Drops | LD 24 | Calcification Drops |
| LD 27Vitality DropsLD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 25 | Epilepsy Drops |
| LD 28Kidney and Bladder DropsLD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 26 | Migrain and Neuralgia Drops |
| LD 29Nerve and Sleep DropsLD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 27 | Vitality Drops |
| LD 30Inflammation DropsLD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 28 | Kidney and Bladder Drops |
| LD 31Diarrhoea DropsLD 32Hemorrhoidal DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 29 | Nerve and Sleep Drops |
| LD 32Hemorrhoidal DropsLD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 30 | Inflammation Drops |
| LD 32Piles DropsLD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 31 | Diarrhoea Drops |
| LD 33Haematinic DropsLD 34Intestinal Colic DropsLD 35Anasarca DropsLD 36Circulatory Debility Drops | LD 32 | Hemorrhoidal Drops |
| LD 34 Intestinal Colic Drops LD 35 Anasarca Drops LD 36 Circulatory Debility Drops | LD 32 | Piles Drops |
| LD 35 Anasarca Drops LD 36 Circulatory Debility Drops | LD 33 | Haematinic Drops |
| LD 36 Circulatory Debility Drops | LD 34 | Intestinal Colic Drops |
| | LD 35 | Anasarca Drops |
| LD 37 Pancreas Drops | LD 36 | Circulatory Debility Drops |
| | LD 37 | Pancreas Drops |
| LD 38 Thyrotoxic Drops | LD 38 | Thyrotoxic Drops |
| LD 39 Stomach Drops | LD 39 | Stomach Drops |

| S. No. | Name | |
|----------------------|----------------------------|--|
| LD 40 | Diabetes Drops | |
| LD 41 | Nausea Drops | |
| LD 42 | Teething Aches Drops | |
| LD 43 | Acne Drops | |
| LD 44 | Blood Purifier Drops | |
| LD 45 | Herpes Drops | |
| LD 46 | Worms Drops | |
| LD 47 | Dysmenorrhea, Amenorrhea | |
| | Drops | |
| LD 48 | Dysmenorrhea Drops | |
| LD 49 | Gynae Drops | |
| LD 50 | Climacteric Drops | |
| LD 51 | Abdominal Drops Right Side | |
| LD 52 | Abdominal Drops Left Side | |
| LD 53 | Neural Drops | |
| LD 54 | Cardiopulmonary Drops | |
| LD 55 | Laryngeal Drops | |
| LD 56 | Pluerisy Drops | |
| LD 57 | Pulmonic Drops | |
| LD 58 | Pulmonary Drops | |
| LD 59 | Stimulant Drops | |
| LD 60 | Arthralgia Drops | |
| LD 61 | Injury Drops | |
| LD 62 | Impaired Circulation Drops | |
| LD 63 | Intercostal Drops | |
| LD 64 | Recalcifying Drops | |
| LD 65 | Measles Drops | |
| LD 66 | Albuminuria Drops | |
| LD 67 | Nocturnal Drops | |
| LD 68 | Renal Drops | |
| LD 69 | Hypochondriacal Drops | |
| LD 70 | Hyperhydrosis Drops | |
| LD 71 | Reconstituant Drops | |
| PRESENTATION: 30 ml. | | |



UTRO-AID

(LD 72)

यूट्रो ऐड (एलडी 72)

INDICATION:

Helps to control Pelvic pain & increased menstrual cramps pressure & fullness in lower abdomen, Swelling & enlargement of lower abdomen, pain during intercourse.

पेल्विक दर्द और बढ़े हुए मासिक धर्म के दौरान ऐंठन, दबाव और पेट के निचले हिस्से में सूजन और दर्द में इज़ाफा, संभोग के दौरान दर्द आदि को नियंत्रित करने में मदद करता है।

COMPOSITION:

Calcarea Fluorica 3X, Conium Maculatum 3C, Elaterium 30. Hydrastis Canadensis 200. Thuja Occidentalis 30, Thyroidinum 30 Alcohol Content



DOSAGE:

10-15 drops in some water 4 to 5 times a day or as prescribed by the physician. **PRESENTATION:** 30 ml.

DERMOKURE

(LD-73)

डमोक्योर (एलडी 73)

INDICATION:

Acute and chronic eczema, pimples herpes, rashes, eschar, Psoriasis vulgaris and psoriasis-like eczema. अधिक और पुरानी एकिज़मा, दाद, चकत्ते, सोरायसिस आदि त्वचा संबधी समस्याओं से तुंरत राहत के लिए डर्मोक्योर प्रभावशाली उपाय है।

COMPOSITION:

Anthrakokali 2X, Graphites 3X, Petroleum 3X, Skookum Chuck 3X, Alcohol Content 30.4% V/V.

DOSAGE:

10-15 drops in some water 3 times a day or as prescribed by the physician.



(LD-74)



INDICATION:

Severe pulsating and throbbing headache due to over stress and excessive use of computers, Dry and itchy eyes with blurred and double vision, trouble concentrating on the screen or focusing on other items.

अधिक तनाव, मोबाइल फोन एंव कंप्यूटर के अत्याधिक उपयोग के कारण सिरदर्द, दोहरी एंव धुंधली दृष्टि व आँखों में सूखापन और खुज़ली होना, स्क्रीन पर लंबे समय तक ध्यान केंद्रित करने या अन्य वस्तुओं पर ज्यादा देर तक ध्यान केंद्रित करने में परेशानी होना आदि परेशानियों से मुक्ति में आईटी ड्रॉप्स लाभदायक है।



COMPOSITION:

Each 500 ml. Contains:

Epiphegus Virg. 1X, Ruta 3X, Nat. Mur. 3X, Phosphoric Acid. 3X, Alcohol Content 30.4% V/V

DOSAGE:

10-15 drops in some water 3 times a day or as prescribed by the physician.

PRESENTATION: 30 ml.

| F١ | JN | G | IK | UR | E |
|----|----|---|----|----|---|
| | | | | | |

(LD-75)

फंगीक्योर (एलडी 75)

INDICATION:

Helps to reduce the redness, irritation at the same time avoids darkening of skin.

वातावरण के कारण बहुत से बैक्टिरिया हमारी त्वचा पर हानिकारक प्रभाव डालते है। फंगीक्योर त्वचा पर लालिमा, खुजली, कालेपन व जलन आदि को कम करने में मदद करता है।

COMPOSITION:

Bacillinum Pulmo 12C Chrysarobinum 3X Thuja Occidentalis 3X Torula Cerevisiae 1X Alcohol Content 18% V/V

DOSAGE:

10-15 drops in some water 4 to 5 times a day or as prescribed by the physician. **PRESENTATION:** 30 ml.



THYROBID

(LD-76)

थाईरोबिड (एलडी 76)



Hyperthyroidism and hypothyroidism, Thyroid nodules. Abnormal weight gain, tiredness, baldness, cold intolerance, bradycardia in hypothyroidism. Palpitations, excess sweating, diarrhea, weight-loss, muscle weakness, in hyperthyroidism.

हाइपोथायरायडिज्म में असामान्य रूप से वजन बढ़ना, थकान, गंजापन, अधिक पसीना आना, मांसपेशियों में कमजोरी, पाचन क्रिया में परेशानी आदि समस्याओं के लिए थाईरोबिड (एलडी 76) आदर्श दवा है।

COMPOSITION:

Each 5ml. Contains:

Baryta Carbonica 3X, Calcarea Carbonica 3X, Fucus Vesiculosus 2X, Lodium 3X, Spongia Tosta 3X, Alcohol Content 38% V/V

DOSAGE:

10-15 drops in some water 3 times a day or as prescribed by the physician. **PRESENTATION:** 30 ml.

UTIKURE

यूटीक्योर (एलडी ७७)

(LD-77)

INDICATION:

UTI drops helps to provide relief from itching & burning in Urethra and other associated symptoms of the U.T.I. Problems.

यूटीक्योर ड्रॉप्स, मूत्राश्य और यूटीआई के अन्य संबधित लक्षणों में जैसे खुजली और जलन आदि समस्याओं से राहत पाने के लिए मदद करता है।

COMPOSITION:

Medorrhinum 200, Pyrogenium 30, Terebinthinae Oleum 30 Alcohol Content 24% V/V

DOSAGE:

10-15 drops in some water 4 to 6 times a day or as prescribed by the physician.





(LD-78)

माइग्रिम (एलडी 78)

INDICATION:

Migraine, nervous headaches, associated with nausea, vomiting and photophobia. Neuralgia of the head. Indisposition due to continuous headaches.

माइग्रेन, नर्वस सिरदर्द, मतली, उल्टी, सिर की नसों का दर्द, लगातार सिरदर्द के कारण अपच और फोटोफोबिया से संबंधित समस्याओं से निपटने के लिए माइग्रिम (एलडी 78) का प्रयोग करें।

COMPOSITION:

Belladonna 3X, Cimicifuga Racemosa 3X, Epiphagus Virginiana 1X, Gelsemium Sempervirens 2X, Iris Versi Color 1X, Sanguinaria Canadensis 3X, Spigelia Marilandica 3X, Alcohol Content 53.2% V/V

DOSAGE:

10-15 drops in some water, 3 times daily.

Acute case:

10-15 drops in some water 3-6 times a day or as prescribed by the physician.

PRESENTATION: 30 ml.

| GOUTIN | गॉटिन | |
|---------|-----------|--|
| (LD-79) | (एलडी 79) | |

INDICATION:

It helps in reducing the recurrent inflammation of joint especially toe, prevents deformity of joints. जोडों में सजन विशेषकर पैर के जोडों में आवर्तक सजन और विकृतियों को रोकने में मदद करता है।

COMPOSITION:

Each 5ml. Contains:

Epigaea Repens 3X, Franciscea Uniflora 6X, Fraxinus Excelsior Ø, Ichthyolum 6X, Lycopodium Clavatum 200, Alcohol Content 41.9% V/V

DOSAGE:

10-15 drops in some water 4 to 5 times a day or as prescribed by the physician.





(एलडी 80)

<u>म</u>ीनोड्रॉप्स

INDICATION:

(LD-80)

Climacteric complaints, Flushes of heat, attacks of perspiration. Physical weakness, depression and headache. Irregular menstruations, pruritus vulvae. Psychic exhaustion and indifferences.

बैक्टीरिया की शिकायत, गर्मी में लालिमा, लगातार पसीने आना, शारीरिक कमजोरी, अवसाद, सिरदर्द, अनियमित मासिक धर्म, मानसिक थकावट और उदासीनता आदि समस्याओं से निपटने में गुणकारी।

COMPOSITION:

Each 5 ml. Contains:

Lachesis 6X, Sulphur 3X, Cimicifuga Rac. 3X, Sang. Can. 1X, Arg. Nit. 3X, Alcohol Content 38% V/V

DOSAGE:

10-15 drops in some water 3 times a day or as prescribed by the physician. **PRESENTATION:** 30 ml.

WETNIL

(Bed-Wetting Drops LD-81)

वेटनिल (एलडी 81)

INDICATION:

Involuntary urination while asleep. सोते समय अनचाहा मूत्र विस्रजन।

COMPOSITION:

Each 5 ml. Contains:

Belladonna 3X, Acidum Benzoicum 3X, Calcarea Carbonica 3X, Causticum 3X, Cina 3X, Ferrum Metallicum 3X, Kali Bromatum 3X, Kreosotum 3X, Pulsatilla Nigricans 3X, Sepia 3X, Silicea 3X In Aqua Destillata.

DOSAGE:

8-10 drops in some water 3 times a day or as prescribed by the physician.





LDD PILES DROPS

(एलडी 32)

एलडीडी पाइल्स डॉप्स

INDICATION:

(LD 32)

Anal fissure, hemorrhoids associated with itching, pain, bleeding and eczema.

गुदा विदर, खुजली, दर्द रक्तस्राव और एक्जिमा से जुड़ी बवासीर।

COMPOSITION:

Sulphur HPI 5X 10% V/V, Graphites HPI 8X 10% V/V, Kali. Carb. HPI 6X 10% V/V, Acidum Nit. HPI 6X 10% V/V, Paeonia Off. HPI 3X 10% V/V, Hamamelis Vir. HPI 3X 10% V/V, Lycopodium C. HPI 5X 10% V/V, Aesculus Hipp. HPI 2X 10% V/V, Collinsonia Can. HPI 4X 10% V/V, Alcohol Content 59% V/V, Purified Water Q.S. To Make 100% V/V



DOSAGE:

10-15 drops in some water 3 times a day or as prescribed by the physician.

PRESENTATION: 30 ml.

FEMOTONE

(LD-83)

फीमोटोन (एलडी 83)

INDICATION:

Irregular or heavy bleeding vaginally, vaginal dryness, fever, Excessive hair fall, Changes in mensuration, Irritation, Anxiety, Premenstrual syndrome, Endometriosis, Urinary tract infections, Uterine fibroids, Mood swings, Cramps, memory loss, high blood pressure, low blood sugar etc.

अनियमित रूप से या अधिक मात्रा में योनि से रक्तस्त्राव, योनि का सूखापन, बुखार, अत्याधिक बालों का झड़ना, मासिक धर्म चक्र में परिवर्तन, जलन, तनाव, प्रीमेन्स्टुअल सिंड्रोम, मूत्र मार्ग में संक्रमण, उच्च रक्तचाप, निम्न रक्त शर्करा आदि।



COMPOSITION:

Each 5 ml. Contains: Cimicifuga Racemosa 3X, Lachesis 6X, Sulphur 3X, Sepia 3X, Pulsatilla Nigricans 3X, In Aqua Destillata.

DOSAGE:

8-10 drops in some water, 4 times a day or as prescribed by the physician.

LUKODERM

(LD-84)

ल्यूकोडम (एलडी ८४)

INDICATION:

Leucoderma (White Patches), Vitiligo, Skin Diseases, Discoloration of skin.

ल्यूकोडर्मा (सफेद दाग), विटिलिगो, त्वचा रोग, त्वचा का रंग बिगडना।

COMPOSITION:

Each 5 ml. Contains:

Hydrocotyle Asiatica Ø, Myristica Sebifera Ø, Arsenicum Album 3X, Arsenicum Sulphuratum Flavum 3X, Natrum Muriaticum 3X, In Aqua Destillata.

DOSAGE:

8-10 drops in some water, 3 times a day or as prescribed by the physician.

PRESENTATION: 30 ml.



LDD SKIN CARE PRODUCTS

GLYCERIN SOAP SOOTHING & MOISTURIZING SOAP

KEY INGREDIENTS:

Soap Noodles, Glycerin, Perfume, Sunflower Oil, Honey Extract, Sodium Lactate, Titanium Dioxide, Butylated, Hydroxytoluene & Disodium EDTA. **PRESENTATION:** 75 gm.

NEEM & ALOE-VERA SOAP NATURAL SKIN CARE SOAP

COMPOSITION:

Neem Extract, Aloevera Extract, Amla Extract, Glycerin & Excipients. **PRESENTATION:** 75 gm.

PEDI CARE CREAM

KEY INGREDIENTS:

Lactic Acid, Lecithin, Cocoa Butter, Aloevera Extract, Calendula Extract, Light Liquid Paraffin, Glycerin & Excipients. **PRESENTATION:** 50 gm.







LDD SKIN CARE PRODUCTS

ALOE-VERA CREAM

Face Cream enriched with Aloevera & Vitamin E **PRESENTATION:** 50 gm.

BERBERIS SOAP

ANTI ACNE CLEANSER

Calendula Extract, Berberis Extract, Wheat Germ Oil Extract, Tea Tree Oil, Rosemary Extract, Aloevera Extract & Excipients. **PRESENTATION:** 75 gm.

GLOW-MORE SOAP

Moisturizing Soap For Dry Skin **COMPOSITION:**

Glycerin, Aloevera Extract, Shea Butter, Olive Oil, Vitamin-E, Calendula Extract, Jojoba Oil Extract & Excipients. **PRESENTATION:** 75 gm.

PURE GLOW FACE WASH ANTI ACNE SKIN

COMPOSITION:

Tea Tree Oil, Rosemary Extract, Vitamin-E, Aloevera Extract, Berberis Extract, Glycerin & Excipients. **PRESENTATION:** 75 gm.

LDD'S MOTHER TINCTURES

COMPOSITION:

In regard to our mother tinctures we are using the best quality active substance. All Indian and imported herbs and raw materials are used for mother tinctures. Which are tested for their pharmacopoeial requirements. LDD Bioscience offers mother tinctures of category A, B, C, D and E in packs of 30 ml., 100 ml. and 450 ml.

आपकी सेवा में बेहतरीन मदर टिंचर पहुँचाने के लिए हमारे यहाँ सर्वश्रेष्ठ तकनीक से विशेषज्ञों की देखरेख में दवाओं का बेहतरीन उत्पादन किया जाता है।

हमारे यहाँ सभी देसी अथवा विदेशी कच्चे मालों (औषधियों) को भी प्रयोग में लाने से पहले औषधीय जाँच के लिए परिक्षण किया जाता है तथा उनके महत्वपूर्ण एंव श्रेष्ठ भागों

को प्रयोग में लाया जाता है जिससे उत्तम औषधियाँ तैयार की जा सकें।









मदर टिंचर



LDD DILUTIONS

डाइल्यूशन Dilutions are the backbone of Homoeopathy and its curative power lies in its medicine. We

at LDD Bioscience are manufacturing Dilutions under a stringent guality control to give the desired curative power. We are procuring our back potencies from GERMANY which are then dynamised with exact quantity of extra neutral alcohol which is the purest form of alcohol which we are using. We are manufacturing dilutions in an air conditioned noncontaminated place to give our valuable customers accurate medicament in each drop.

LDD offers Dilutions of 30, 200, 1M, 10M and CM in packs of 30ml., 100 ml. and 450 ml.

हमारे होम्योपैथि में डाइल्यूशन दवाओं का आधार या कार्य रीड की हडडी की तरह होती है और इनका अपना कीर्तिमान होता है।

हमारे यहाँ सर्वश्रेष्ठ तकनीक से विशेषज्ञों की देखरेख में

डाइल्यशन दवाओं का उत्पादन किया जाता है और बेहतरीन उत्पाद तैयार किए जाते हैं। हमारे यहाँ उत्पाद के लिए कंप्यूट्रीकृत पोटेंन्टाइज़र से शूद्ध एल्कोहल के द्वारा हम स्वंय बैक पोटेंसी तैयार करते है। औषधियां अनुकूलित वातावरण में बनाई जाती हैं ताकि औषधि की हर बँद का लाभ हमारे ग्राहक उठा सकें।

VITAMIN-D CAL ALFA+

विटामिन डी केल अल्फा +

INDICATIONS:

Vitamin D deficiency, softening and weakening of bones in children; poor calcium absorption, unhealthy bones & teeth, muscles pain, fatique & tiredness and frequent infectious diseases related to vitamin D deficiency

विटामिन डी केल अल्फा + शरीर में विटामिन डी की कमी. बच्चों की हडडियों में कमजोरी एंव कैल्शियम की कमी, अख्य श्व हडडियाँ और दाँत, मांसपेशियों में दर्द, विटामिन डी की कमी से थकान संबंधी रोगों से राहत के लिए प्रभावशाली है।

COMPOSITION:

Each film coated tablet contains: Alfalfa 5 mg# Anise seed 5 mg #, Calcium citrate 22.75mg 3.79%, Vitamin C18.5 mg 3.49%, Light Magnesium oxide 11.85mg 3.49%, Rosemary officinalls 5 mg #, Iron (ferrous ascorbate) 8mg 47.06%, Aloe barbadensis 7.5mg #, Vitamin B6 1.4mg 70%, Vitamin B 3 6.5 mg 36.11%, Vitamin E 6mg, 60%, Fenugreek 5mg #Glutamic acid 5.25mg #, L-Lysine 5mg. #, Zinc monomethionine 4mg 33.33%, Vitamin B1 0.5mg 35.71%, Vitamin B2 0.5mg 31.25%, Vitamin B5 0.7mg 0.11%, Vitamin B9 64mcg 32%, Vitamin B12 0.2 mcg 20%, Vitamin D3 15mcg 100%, Vitamin A 320 mcg 53.33% Chromium Picolinate 100msg 50% Potassium iodide 100mcg 66.67%, Cupric oxide 150mcg. 7.5%, Sodium bicarbonate 100mcg 0.004%, Manganese Chloride 225mcg 4.50%, Sodium molybdate 16mcg 21.33%, Selenium 16mcg 40%. **DOSAGES:** 1 tablet once daily, or as prescribed by the Dietician/Doctor.

Pack Size: 30 Tablets & 60 Tablets.







TULSI GP DROPS


(Tulsi-Giloy-Papaya)

A perfect herbal blend for detoxification and immunity boosting. A combination of five varieties of Tulsi along with Giloy and Papaya naturally boosts immunity.

तुलसी, गिलोय, पपीते आदि जैसी पांच प्रकार की औषधियों के अर्क से तैयार तुलसी जीपी ड्राप्स शरीर में सफाई और प्रतिरक्षा प्रणाली को मजबूत बनाने में मदद करती है।

MAIN INGREDIENT:

Ocimum sanctum, Ocimum gratissimum, Ocimum canum, Ocimum bacilum, Ocimum citridorum, Giloy, Papaya.



immunity boosting results. **DOSAGE:** Take 5-10 drops of Tulsi-GP drops in a glass of water or Tea or Lassi 2-3

तुलसी जीपी ड्रॉप्स

times a day or as prescribed by the physician.

PRESENTATION: 30 ml.

ORTHONIP

आर्थोनिप

For Maintaining the strength and flexibility of bone cartilages

A bone supplement that assists to maintain healthy bone density by improving the calcium and collagen levels that are vital for healthy joints.

यह जोड़ों के सुचारू संचालन को नियंत्रित करता है और शरीर की सूजन को कम करता है, इस प्रकार पुराने ऑस्टियोआर्थराइटिस जैसे विकारों के इलाज में आर्थोनिप महत्वपूर्ण भूमिका निभाता है।

MAIN INGREDIENTS:

Glucosamine, Curcumin, Boswellia.

RECOMMENDED FOR:

It regulates the smooth functioning of the joints and reduces the body inflammation, thus plays a vital role to treat disorders like osteoarthritis.

DOSAGE:

1 tablet thrice a day or as prescribed by the physician.

PACK SIZE: 60 Tablets





GARCINIA SLIMTAB

Manage Weight Naturally

A complete natural, herbal & vegan dietary supplement. This fast acting formula

delivers quick result in the weight management process and further helps when combined with an ideal diet and regular exercise.

गार्सिनिया स्लिमटैब संचित वसा को कम कर देता है और इसकी भूख को कम करने वाली तीक्ष्णता शरीर में पर्याप्त कैलोरी की आवश्यकता को बनाए रखने में मदद करती है।

MAIN INGREDIENTS:

Garcinia Cambogia, Green coffee bean extract, Caralluma fimbriata, Guggul

RECOMMENDED FOR:

Garcinia Slimtab melts accumulated fats and its hunger trimming activity helps to maintain body's caloric needs.

DOSAGE:

2 tablets once daily one hour before meal or as prescribed by the dietician/physician.

PACK SIZE: 60 Tablets

GINSENG GB PLUS

Natural Energy and Vitality Booster

Ginseng GB Plus helps in enhancing cognitive performance. It is a natural energy and vitality booster that aids in aspects of moods such as alertness and well-being.

जिंनसैंग जीबी प्लस संज्ञानात्मक प्रदर्शन को बढ़ाने में मदद करता है। यह ऊर्जा, सतर्कता, मानसिक कार्यप्रणाली और समग्र शारिरिक विकास को बढाने में मदद करता है।

MAIN INGREDIENTS:

Ginkgo Biloba, Peppermint Extract, Siberian ginseng extract, Citrus bioflavonoids, Cherry Concentrate & Schizandra berry extract

RECOMMENDED FOR:

It helps in increasing energy, alertness, mental function and overall vitality.

DOSAGE:

1 tablet twice a day or as prescribed by the physician.

PACK SIZE: 60 tablets



जिंनसैंग जीबी प्लस



गार्सिनिया स्लिमटैब

STONOKID TABLETS

Helps in Conditions of Renal Inflammation & Calculi

INDICATION:

Helps in the removal of stones from Kidney, Ureter & Urinary Bladder.

A potent diuretic helps in flushing out bacteria. Helps to treat renal inflammations and irritation. किडनी, यूरेटर और यूरिनरी ब्लैडर से पथरी निकालने में मदद करता है। एक शक्तिशाली मूत्रवर्धक बैक्टीरिया को बाहर निकालने में मदद करता है।

गुर्दे की सूजन और जलन के इलाज में मदद करता है।

COMPOSITION:

Each Tablet Contains:

Berberis Vulgaris 3X, Cantharis 3X, Dioscorea Villosa 3X, Petroselinum Sativum 3X, Stigmata Maydis 1X, Thuja Occidentalis 6X, Uva ursi 6X, Vesicaria Communis 6X, In sugar of milk base (Lactose)

DOSAGE:

1-2 Tablets thrice a day or as directed by the physician.

PRESENTATION: 30 Tablets

ALPHA POWER M

An Ultimate Pleasure Solution for Men

INDICATION:

Senile debility, mental and physical exhaustion, poor erection, lack of passion, loss of vigor and vitality, impotency, sexual neurasthenia and nervous exhaustion. Emissions at night or at stool even passing a soft stool.

वृद्धावस्था की दूर्बलता, मानसिक और शारीरिक थकावट, खराब इरेक्शन, जुनून की कमी, जोश और जीवन शक्ति की कमी, नपुसंकता, यौन न्युरस्थेनिया और तंत्रिका थकावट। रात में या मल त्याग करते समय भी एक नरम मल त्याग।

COMPOSITION:

Each 550 mg. Tablet Contains:

Damiana 3X, Acidum Phosphoricum 2X, Ginseng Panax Ø, Selenium 3X, Yohimbinum Ø, In sugar of milk base.

DOSAGE:

1-2 Tablets twice a day or as directed by the physician.

PRESENTATION: 30 Tablets







अल्फा पावर एम टैबलेट पुरूषों के लिए एक परम आनंद समाधान

स्टोनोकिड टैबलेट

गुर्दे की सूजन और गणना की स्थिति में मदद करता है

TUMOTIN DROPS

तुमोटिन ड्रॉप्स



Benign Tumours, hyperplasia and ganglion cyst. सौम्य टयूमर, हाइपरप्लासिया और गैंग्लियन सिस्ट।

COMPOSITION:

Conium Maculatum HPI 4X 2.0 ml., Arsenicum Iodatum HPI 30 1.0 ml., Carbo Animalis HPI 6 1.0 ml., Clemetis Erecta HPI 3X 2.0 ml., Galium Aparine HPI 30 1.0 ml., Hydrastis Canadensis HPI 2X 2.0 ml., Phytolacca Decandra HPI 3X 1.0 ml., Alcohol Content 60% V/V

DOSAGE:

10-15 drops in some water 3 times a day or as prescribed by the physician.

PRESENTATION: 30ml.



PROSTORITE TABLET

Maintains Prostate Health

प्रोस्टोराइट टैबलेट

प्रोस्टेट स्वास्थ्य को बनाए रखता है

INDICATION:

Abnormal enlargement and painful inflammation of prostate gland.

प्रोस्टेट ग्रंथि की असामान्य वृद्धि और दर्दनाक सूजन।

COMPOSITION:

Each 550 mg. Tablet Contains:

Chimaphilla Umbellata 3X, Ferrum Picricum 3X, Hydrangea Arborescensa 3X, Pareira Brava 6X, Sabal Serrulata 3X, Staphysagria 3X, Thuja Occidentalis 3X, In sugar of milk base (Lactose)

DOSAGE:

1-2 tablet thrice a day or as directed by the physician. **PRESENTATION:** 30 Tablets



LDD APPETISER SYRUP

एलडीडी ऐपेटाइज़र सिरप

INDICATION:

Increases appetite, improves digestion, removes the aversion to food, indigestion, dyspepsia and deficiencies of nutrition.

भूख बढ़ाता है, पाचन में सुधार करता है, भोजन के प्रति अरुचि, अपच, अपच और पोषण की कमी को दूर करता है।

COMPOSITION:

Abies nigra Q 0.1 ml., Carduus marianus Q 0.1 ml., Quassia amara Q 0.08 ml., Hydrastis canadensis Q 0.05ml., Cinchona officinalis Q 0.05 ml., Alfalfa Q 0.103 ml., Gentiana lutea Q 0.12 ml., Five Phos. 6X 0.25 gm., In Syrup Base q.s., Alcohol 8.00% v/v.

DOSAGE:

Adult:1 tablespoonfulChildren:1 teaspoonful before meals or as
directed by physician.

PRESENTATION: 115 ml. & 450 ml.



OVACIST DROPS

For managing ovarian cysts & for healthy ovaries

ओवसिस्ट ड्रॉप्स डिम्बग्रंथि के सिस्ट के प्रबंधन और स्वस्थ अंडाशय के लिए

INDICATION:

Cyst formations on the ovaries, ovarian benign tumours, polycystic ovarian syndrome, dull, aching or sudden, sharp pain in lower abdomen, irregular menstrual periods, pain during intercourse or bowel movements.

अंडाशय, डिम्बग्रंथि सौम्य टयूमर, पॉलीसिस्टिक डिम्बग्रंथि सिंड्रोम, सुस्त, दर्द या अचानक, पेट के निचले हिस्से में तेज दर्द, अनियमित मासिक धर्म, संभोग या मल त्याग के दौरान दर्द।

COMPOSITION:

Each 5 ml. Contains:

Apis Mellifica 3X 0.50 ml., Arsenicum Album 3X 0.50

ml., Iodium 3X 0.50 ml., Lillium Tigrum 3X 0.50 ml., Conium Maculatum 3X 0.50 ml., Lac Caninum 6C 0.50 ml., Hepar Sulphuris Calcareum 3X 0.25 gm., Belladonna 3X 0.50 ml., Palladium 3X 0.50 gm., Calcarea Carbonica 3X 0.50 gm., In Aqua Destillata

DOSAGE:

Take 50 drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 drops, 3 times a day or as directed by the physician.



LUKOMED SYRUP

JP लुकोमेड सिरप

योनि को स्वस्थ रखने में महत्वपूर्ण भूमिका निभाता है

INDICATION:

Helps in Leucorrhea

All forms of discharges profuse, thick yellow offensive with delayed and suppressed menses in young girls at puberty. Backache, anemia, weakness, tiredness, irritability, burning, itching and ulcer in internal parts and genetalia externally.

युवा लड़कियों में युवावस्था में सभी प्रकार के निर्वहन विपुल, विलंबित और दबी हुई मासिक धर्म के साथ गाढ़ा पीला आक्रामक। पीठ दर्द, रक्ताल्पता, कमजोरी, थकान,चिड़चिड़ापन, जलन, खुजली, और आंतरिक भागों में छाले और बाहरी जननांग।



COMPOSITION:

Janosia Ashoka Ø 2%, Hydrastis Canadensis 3X 2%,

Pulsatilla Nigricans 3X 1%, Viburnum Opu. 2X 1%, Hemidesmus Ø 1%, Thalaspi B.P. 2X 1%, Sepia 6X 1%, Borax 6 2%, Ova tosta 6 2%, Eupion 12X 1%, Aletris F. 2X 1%, Excipients q.s., Alcohol Content Less Than 12% V/V

DOSAGE:

10 ml. 3-4 times a day or as prescribed by the physician.

PRESENTATION: 115 ml.

RUMATIN PLUS TABLETS

Remedy for Joint & Muscular Pain

रुमैटिन प्लस टैबलेट

जोड़ो और मांसपेशियों के दर्द के लिए उपाय

INDICATION:

For acute/chronic rheumatism, slipped disc and muscular weakness and fatigue.

तीव्र / पुरानी गठिया, स्लिप डिस्क और मांसपेशियों में कमजोरी और थकान के लिए।

COMPOSITION:

Each Tablet contain equal proportions of:

Ferrum Phos. 3X 25 mg., Magnesium Phos. 3X 25 mg., Kali Sulphuricum 3X 25 mg., Natrum Sulphuricum 3X 25 mg.

DOSAGE:

Adults:1 tablet 3 times a day.Children:1 tablet 2 times a day or as prescribed by the physician.PRESENTATION:25gm.









Providing Soothing Touch to the Ailing Masses

Amalgamating Modern Technology with Homoeopathic Science For the use of Registered Medical Practitioner or Hospital and Laboratory Only.

Contact us: LDD BIOSCIENCE PVT. LTD.

GLOW MEX

Plot no. 71, Sector-8, IMT Manesar, Gurugram-122051 (Haryana)- India Website: www.lddbioscience.com E-mail: info@lddbioscience.com Customer Care No.: +91 124 4550555



13.95

Health Santé Canada Canada STENCES A

